

# Resource Summary Report

Generated by [ASWG](#) on Aug 9, 2026

## Nucleolin [4i51] antibody

RRID:AB\_372549

Type: Antibody

---

### Proper Citation

GeneTex Cat# GTX14966, RRID:AB\_372549

---

### Antibody Information

**URL:** [http://antibodyregistry.org/AB\\_372549](http://antibodyregistry.org/AB_372549)

**Proper Citation:** GeneTex Cat# GTX14966, RRID:AB\_372549

**Target Antigen:** Nucleolin [4i51] antibody

**Host Organism:** mouse

**Clonality:** monoclonal

**Comments:** Discontinued; manufacturer recommendations: ELISA: Use at an assay dependent dilution. ICC: Use at a dilution of 1/10 - 1/100. Shows positive immunostaining for nucleolin in HeLa cells fixed with 4 paraformaldehyde and permeabilized with 0.25 Triton X 100IP: Use at an assay dependent dilution. WB: Use at a dilution of 1/1000 - 1/5000. detects nucleolin in HeLa nuclear extract. HeLa nuclear extract was resolved by electrophoresis, transferred to nitrocellulose and probed with anti nucleolin (1:5000 dilution). Proteins were visualized using a goat anti mouse secondary antibody conjugated to HRP and a chemiluminescence detection system. Predicted molecular weight: 85 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user., ELISA, ICC, IP, WB, ELISA, Immunocytochemistry, Immunoprec

**Antibody Name:** Nucleolin [4i51] antibody

**Description:** This monoclonal targets Nucleolin [4i51] antibody

**Target Organism:** canine, human

**Antibody ID:** AB\_372549

**Vendor:** GeneTex

**Catalog Number:** GTX14966

**Record Creation Time:** 20250820T005957+0000

## Ratings and Alerts

No rating or validation information has been found for Nucleolin [4i51] antibody.

**Warning:** Discontinued at GeneTex

Discontinued; manufacturer recommendations: ELISA: Use at an assay dependent dilution. ICC: Use at a dilution of 1/10 - 1/100. Shows positive immunostaining for nucleolin in HeLa cells fixed with 4 paraformaldehyde and permeabilized with 0.25 Triton X 100IP: Use at an assay dependent dilution. WB: Use at a dilution of 1/1000 - 1/5000. detects nucleolin in HeLa nuclear extract. HeLa nuclear extract was resolved by electrophoresis, transferred to nitrocellulose and probed with anti nucleolin (1:5000 dilution). Proteins were visualized using a goat anti mouse secondary antibody conjugated to HRP and a chemiluminescence detection system. Predicted molecular weight: 85 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user., ELISA, ICC, IP, WB, ELISA, Immunocytochemistry, Immunoprec

---

## Data and Source Information

**Source:** [Antibody Registry](#)

---

## Usage and Citation Metrics

We have not found any literature mentions for this resource.