

Resource Summary Report

Generated by [ASWG](#) on Aug 9, 2026

IL1 alpha antibody [59015.111]

RRID:AB_381145

Type: Antibody

Proper Citation

GeneTex Cat# GTX10747, RRID:AB_381145

Antibody Information

URL: http://antibodyregistry.org/AB_381145

Proper Citation: GeneTex Cat# GTX10747, RRID:AB_381145

Target Antigen: IL1 alpha antibody [59015.111]

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: IgG1; IgG1 ELISA; Western Blot; ELISA, WB, ELISA, Western blot. The usefulness of this product in other applications has not been determined., ELISA: Use at a concentration of 4 µg/ml. Using a biotinylated detection antibody, a working concentration of 4 µg/ml is determined as coat using 100 µl/well to detect a range of 3.9 - 250 pg/ml of recombinant rat IL1 alpha. WB: Use at a concentration of 1 - 2 µg/ml. This working concentration of is determined using rat IL1 alpha at 100 ng/lane under non-reducing and reducing conditions. Predicted molecular weight: 31 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Antibody Name: IL1 alpha antibody [59015.111]

Description: This monoclonal targets IL1 alpha antibody [59015.111]

Target Organism: rat, human

Antibody ID: AB_381145

Vendor: GeneTex

Catalog Number: GTX10747

Record Creation Time: 20250820T023842+0000

Record Last Update: 20250820T140828+0000

Ratings and Alerts

No rating or validation information has been found for IL1 alpha antibody [59015.111].

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG1; IgG1 ELISA; Western Blot; ELISA, WB, ELISA, Western blot. The usefulness of this product in other applications has not been determined., ELISA: Use at a concentration of 4 µg/ml. Using a biotinylated detection antibody, a working concentration of 4 µg/ml is determined as coat using 100 µl/well to detect a range of 3.9 - 250 pg/ml of recombinant rat IL1 alpha. WB: Use at a concentration of 1 - 2 µg/ml. This working concentration of is determined using rat IL1 alpha at 100 ng/lane under non-reducing and reducing conditions. Predicted molecular weight: 31 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.