# Resource Summary Report

Generated by ASWG on Aug 10, 2026

## F(ab')2-Goat anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, APC

RRID:AB_429727
Type: Antibody

### Proper Citation

(Thermo Fisher Scientific Cat# 31984, RRID:AB_429727)

### Antibody Information

**URL:** http://antibodyregistry.org/AB_429727

**Proper Citation:** (Thermo Fisher Scientific Cat# 31984, RRID:AB_429727)

**Target Antigen:** Rabbit IgG (H+L)

**Host Organism:** Goat

**Clonality:** polyclonal secondary

**Comments:** Applications: Flow, ICC/IF, IHC, IP

**Antibody Name:** F(ab')2-Goat anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, APC

**Description:** This polyclonal secondary targets Rabbit IgG (H+L)

**Target Organism:** rabbit

**Antibody ID:** AB_429727

**Vendor:** Thermo Fisher Scientific

**Catalog Number:** 31984

**Record Creation Time:** 20251213T073231+0000

**Record Last Update:** 20260225T230356+0000

### Ratings and Alerts

No rating or validation information has been found for F(ab')2-Goat anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, APC.

No alerts have been found for F(ab')2-Goat anti-Rabbit IgG (H+L) Cross-Adsorbed Secondary Antibody, APC.

## Data and Source Information

**Source:** Antibody Registry

## Usage and Citation Metrics

We found 3 mentions in open access literature.

**Listed below are recent publications.** The full list is available at ASWG .

Eshleman EM, et al. (2024) Microbiota-derived butyrate restricts tuft cell differentiation via histone deacetylase 3 to modulate intestinal type 2 immunity. Immunity, 57(2), 319.

Zhang D, et al. (2023) PHGDH-mediated endothelial metabolism drives glioblastoma resistance to chimeric antigen receptor T cell immunotherapy. Cell metabolism, 35(3), 517.

Elliot TAE, et al. (2021) Antigen and checkpoint receptor engagement recalibrates T cell receptor signal strength. Immunity, 54(11), 2481.