

Resource Summary Report

Generated by [ASWG](#) on Aug 23, 2026

CellBank Australia

RRID:SCR_013086

Type: Tool

Proper Citation

CellBank Australia (RRID:SCR_013086)

Resource Information

URL: <http://www.cellbankaustralia.com/>

Proper Citation: CellBank Australia (RRID:SCR_013086)

Description: Collects novel cell lines, developed by Australian researchers, submits these cell lines to rigorous testing to confirm their integrity, and then distributes the cell lines to researchers throughout the world. Distributes, throughout Australia and New Zealand, cell lines from the European Collection of Authenticated Cell Cultures (ECACC) at Public Health England, a major international cell line repository based in the UK and from the Japanese Collection of Research Bioresources (JCRB), both collections also include many ATCC cell lines.

Resource Type: biomaterial supply resource, material resource, tissue bank

Resource Name: CellBank Australia

Resource ID: SCR_013086

Alternate IDs: nlx_28353

Record Creation Time: 20220129T080314+0000

Record Last Update: 20260821T042857+0000

Ratings and Alerts

No rating or validation information has been found for CellBank Australia.

No alerts have been found for CellBank Australia.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 18 mentions in open access literature.

Listed below are recent publications. The full list is available at [ASWG](#) .

Lekamlage SP, et al. (2025) ?133p53 isoform enhances TLR4 function to promote tumor growth. *Carcinogenesis*, 46(4).

Bergsma P, et al. (2025) Integration of Whole-Genome Sequencing Analysis with Unique Patient-Derived Models Reveals Clinically Relevant Drug Targets in TFCP2 Fusion-Defined Rhabdomyosarcoma. *Molecular cancer therapeutics*, 24(12), 1989.

Mustafa EH, et al. (2024) Selective inhibition of CDK9 in triple negative breast cancer. *Oncogene*, 43(3), 202.

Crump NT, et al. (2023) MLL-AF4 cooperates with PAF1 and FACT to drive high-density enhancer interactions in leukemia. *Nature communications*, 14(1), 5208.

Ciucci A, et al. (2022) Preclinical models of epithelial ovarian cancer: practical considerations and challenges for a meaningful application. *Cellular and molecular life sciences : CMLS*, 79(7), 364.

Khan S, et al. (2022) Invasiveness of endometrial cancer cell lines is potentiated by estradiol and blocked by a traditional medicine Guizhi Fuling at clinically relevant doses. *Frontiers in oncology*, 12, 1015708.

Goswami M, et al. (2022) Role and relevance of fish cell lines in advanced in vitro research. *Molecular biology reports*, 49(3), 2393.

Dreyer SB, et al. (2021) Targeting DNA Damage Response and Replication Stress in Pancreatic Cancer. *Gastroenterology*, 160(1), 362.

Mehta S, et al. (2020) Critical Role for Cold Shock Protein YB-1 in Cytokinesis. *Cancers*, 12(9).

Mehta S, et al. (2020) Dephosphorylation of YB-1 is Required for Nuclear Localisation During G2 Phase of the Cell Cycle. *Cancers*, 12(2).

Brunton H, et al. (2020) HNF4A and GATA6 Loss Reveals Therapeutically Actionable Subtypes in Pancreatic Cancer. *Cell reports*, 31(6), 107625.

Mehta SY, et al. (2018) Regulation of the interferon-gamma (IFN-?) pathway by p63 and ? 133p53 isoform in different breast cancer subtypes. *Oncotarget*, 9(49), 29146.

Johnstone CN, et al. (2018) Functional and genomic characterisation of a xenograft model system for the study of metastasis in triple-negative breast cancer. *Disease models & mechanisms*, 11(5).

Jacob F, et al. (2014) Reliable in vitro studies require appropriate ovarian cancer cell lines. *Journal of ovarian research*, 7, 60.

Geraghty RJ, et al. (2014) Guidelines for the use of cell lines in biomedical research. British journal of cancer, 111(6), 1021.

Johnen G, et al. (2013) Cross-contamination of a UROtsa stock with T24 cells--molecular comparison of different cell lines and stocks. PloS one, 8(5), e64139.

Blenkiron C, et al. (2013) Links between the oncoprotein YB-1 and small non-coding RNAs in breast cancer. PloS one, 8(11), e80171.

Williams DS, et al. (2010) Nonsense mediated decay resistant mutations are a source of expressed mutant proteins in colon cancer cell lines with microsatellite instability. PloS one, 5(12), e16012.