

Resource Summary Report

Generated by [Kravitz](#) on Sep 10, 2026

Max Planck Institute for Developmental Biology; Tubingen; Germany

RRID:SCR_011373

Type: Tool

Proper Citation

Max Planck Institute for Developmental Biology; Tubingen; Germany (RRID:SCR_011373)

Resource Information

URL: <http://www.eb.tuebingen.mpg.de/>

Proper Citation: Max Planck Institute for Developmental Biology; Tubingen; Germany (RRID:SCR_011373)

Description: Max Planck Institute for Developmental Biology is located in Tübingen, Germany; it was founded in 1954 as an offshoot of the Tübingen-based Max Planck Institute for Biology.

Synonyms: Max-Planck-Institut für Entwicklungsbiologie, Max Planck Institute for Developmental Biology, Max Planck Institute for Developmental Biology; Tübingen; Germany

Resource Type: institution

Resource Name: Max Planck Institute for Developmental Biology; Tubingen; Germany

Resource ID: SCR_011373

Alternate IDs: Wikidata: Q1912065, grid.419495.4, ISNI: 0000 0001 1014 8330, nlx_98926

Alternate URLs: <https://ror.org/022jc0g24>

Record Creation Time: 20220129T080304+0000

Record Last Update: 20260905T132703+0000

Ratings and Alerts

No rating or validation information has been found for Max Planck Institute for Developmental Biology; Tübingen; Germany.

No alerts have been found for Max Planck Institute for Developmental Biology; Tübingen; Germany.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [Kravitz](#) .

Kovács T, et al. (2022) A conserved MTMR lipid phosphatase increasingly suppresses autophagy in brain neurons during aging. Scientific reports, 12(1), 21817.

Zhou S, et al. (2019) Characterization of a non-sexual population of *Strongyloides stercoralis* with hybrid 18S rDNA haplotypes in Guangxi, Southern China. PLoS neglected tropical diseases, 13(5), e0007396.