

Resource Summary Report

Generated by [Kravitz](#) on Sep 10, 2026

American Optical: 860 Sliding Microtome

RRID:SCR_018434

Type: Tool

Proper Citation

American Optical: 860 Sliding Microtome (RRID:SCR_018434)

Resource Information

URL: <https://www.rankinbiomed.com/product/refurbished-american-optical-860-sliding-micrtome/>

Proper Citation: American Optical: 860 Sliding Microtome (RRID:SCR_018434)

Description: THIS REOURCE IS NO LONGER IN SERVICE. Documented on September 29,2023. Sliding microtome used for cutting hard objects such as bone, wood, frozen celloidin, and paraffin preparations. Cutting thickness is adjustable from 1 to 40 microns.

Resource Type: instrument resource

Keywords: Sliding Microtome, Instrument, Equipment, American Optical, USEDit, ABRF

Availability: THIS REOURCE IS NO LONGER IN SERVICE

Specification URL: https://raw.githubusercontent.com/SciCrunch/RRID-Instruments/main/PDF/SCR_018434.pdf

Resource Name: American Optical: 860 Sliding Microtome

Resource ID: SCR_018434

Alternate IDs: SCR_018451, SCR_019570

Alternate URLs: <https://rankinbiomed.com/wp-content/uploads/AO-860-Sliding-Microtome-Manual.pdf>

Record Creation Time: 20220129T080340+0000

Record Last Update: 20260905T133304+0000

Ratings and Alerts

No rating or validation information has been found for American Optical: 860 Sliding Microtome.

No alerts have been found for American Optical: 860 Sliding Microtome.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 1 mentions in open access literature.

Listed below are recent publications. The full list is available at [Kravitz](#) .

Patiño M, et al. (2026) Protocol for mapping neural circuit connectivity with START: Single transcriptome assisted rabies tracing. STAR protocols, 7(2), 104634.