

Resource Summary Report

Generated by [Kravitz](#) on Sep 10, 2026

Cleveland Clinic Lerner Research Institute Glassware Core Facility

RRID:SCR_026665

Type: Tool

Proper Citation

Cleveland Clinic Lerner Research Institute Glassware Core Facility (RRID:SCR_026665)

Resource Information

URL: <https://www.lerner.ccf.org/cores/glassware/>

Proper Citation: Cleveland Clinic Lerner Research Institute Glassware Core Facility (RRID:SCR_026665)

Description: Core provides glassware washing and sterilization of all types of glassware and pipettes. Facility maintains stock glassware in common storage area. Glassware personnel collect glassware from laboratories daily and cabinets are replenished regularly. Autoclaving of materials is offered on daily basis. Core can accommodate any special requests. Glassware Core maintains stock of all types of sterile laboratory glassware and pipettes in common storage area.

Resource Type: access service resource, core facility, service resource

Keywords: Autoclaving, glassware washing and sterilization, laboratory glassware and pipettes,

Availability: Restricted

Resource Name: Cleveland Clinic Lerner Research Institute Glassware Core Facility

Resource ID: SCR_026665

Alternate IDs: ABRF_3115

Alternate URLs: <https://coremarketplace.org/?FacilityID=3115&citation=1>

Record Creation Time: 20250328T060315+0000

Record Last Update: 20260905T133528+0000

Ratings and Alerts

No rating or validation information has been found for Cleveland Clinic Lerner Research Institute Glassware Core Facility.

No alerts have been found for Cleveland Clinic Lerner Research Institute Glassware Core Facility.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.