

# Resource Summary Report

Generated by T1D on Sep 6, 2026

## ABR5

RRID:WB-STRAIN:WBStrain00000038

Type: Organism

---

### Proper Citation

RRID:WB-STRAIN:WBStrain00000038

---

### Organism Information

**URL:** <http://www.wormbase.org/db/get?name=WBStrain00000038>

**Proper Citation:** RRID:WB-STRAIN:WBStrain00000038

**Description:** Caenorhabditis elegans with name unc-119(ed3) III; stals1. from WB.

**Species:** Caenorhabditis elegans

**Synonyms:** unc-119(ed3) III; stals1.

**Notes:** stals1 [pie-1p::GFP + unc-119(+)]. Superficially wild-type. Maintain under normal conditions. Reference: This strain was used as the empty vector control in Greer EL et al Nature 2010 doi: 10.1038/nature09195.

**Affected Gene:** WBGene00006843(unc-119)

**Genomic Alteration:** WBGene00006843(unc-119)

**Catalog Number:** WB-STRAIN:WBStrain00000038

**Database:** WormBase (WB)

**Database Abbreviation:** WB

**Availability:** available

**Alternate IDs:** WB-STRAIN:ABR5, CGC\_ABR5

**Organism Name:** ABR5

**Record Creation Time:** 20230227T013218+0000

**Record Last Update:** 20260905T114519+0000

---

### Ratings and Alerts

No rating or validation information has been found for ABR5.

No alerts have been found for ABR5.

---

## Data and Source Information

**Source:** [Integrated Animals](#)

**Source Database:** WormBase (WB)

---

## Usage and Citation Metrics

We found 2 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [T1D](#) .

Gong T, et al. (2024) Roles of Tubulin Concentration during Prometaphase and Ran-GTP during Anaphase of *Caenorhabditis elegans* Meiosis. Life science alliance, 7(9).

Gong T, et al. (2024) Roles of Tubulin Concentration during Prometaphase and Ran-GTP during Anaphase of *C. elegans* meiosis. bioRxiv : the preprint server for biology.