

Resource Summary Report

Generated by [kravitz2](#) on Jul 30, 2026

F(ab')₂-Goat anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 594

RRID:AB_2534087

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# A-11020, RRID:AB_2534087)

Antibody Information

URL: http://antibodyregistry.org/AB_2534087

Proper Citation: (Thermo Fisher Scientific Cat# A-11020, RRID:AB_2534087)

Target Antigen: Mouse IgG (H+L)

Host Organism: Goat

Clonality: polyclonal secondary

Comments: Applications: Flow, ICC/IF, WB

Antibody Name: F(ab')₂-Goat anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 594

Description: This polyclonal secondary targets Mouse IgG (H+L)

Target Organism: mouse

Defining Citation: [PMID:24058659](#), [PMID:17428831](#), [PMID:10446170](#), [PMID:26132411](#), [PMID:27194146](#), [PMID:19723877](#), [PMID:15542860](#), [PMID:18552286](#), [PMID:21939774](#), [PMID:18701477](#), [PMID:28098415](#), [PMID:9864361](#), [PMID:15197236](#), [PMID:28098793](#), [PMID:19758788](#), [PMID:11069184](#), [PMID:17204563](#), [PMID:20025053](#)

Antibody ID: AB_2534087

Vendor: Thermo Fisher Scientific

Catalog Number: A-11020

Record Creation Time: 20251213T073757+0000

Record Last Update: 20260225T230946+0000

Ratings and Alerts

No rating or validation information has been found for F(ab')₂-Goat anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 594.

No alerts have been found for F(ab')₂-Goat anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 594.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 19 mentions in open access literature.

Listed below are recent publications. The full list is available at [kravitz2](#) .

Vigo T, et al. (2025) Noradrenergic control of bone marrow and thymus by AgRP neurons is impaired in experimental multiple sclerosis. *Cell reports*, 44(11), 116556.

Bestehorn A, et al. (2025) Cytoplasmic mRNA decay controlling inflammatory gene expression is determined by pre-mRNA fate decision. *Molecular cell*, 85(4), 742.

Otto TA, et al. (2024) Nucleoporin Nsp1 surveils the phase state of FG-Nups. *Cell reports*, 43(10), 114793.

Kurasawa S, et al. (2023) Loss of synaptic ribbons is an early cause in ROS-induced acquired sensorineural hearing loss. *Neurobiology of disease*, 186, 106280.

He J, et al. (2023) 3D genome remodeling and homologous pairing during meiotic prophase of mouse oogenesis and spermatogenesis. *Developmental cell*, 58(24), 3009.

Ito M, et al. (2023) Inositol pyrophosphate profiling reveals regulatory roles of IP6K2-dependent enhanced IP7 metabolism in the enteric nervous system. *The Journal of biological chemistry*, 299(3), 102928.

Hellert J, et al. (2023) Structure, function, and evolution of the Orthobunyavirus membrane fusion glycoprotein. *Cell reports*, 42(3), 112142.

Nurieva W, et al. (2023) Generation of four gene-edited human induced pluripotent stem cell lines with mutations in the ATM gene to model Ataxia-Telangiectasia. *Stem cell research*, 73, 103247.

Kusakabe M, et al. (2023) Fluorescence-microscopy-based assay assessing regulatory mechanisms of global genome nucleotide excision repair in cultured cells. *STAR protocols*, 4(3), 102378.

Kusakabe M, et al. (2022) Histone deacetylation regulates nucleotide excision repair through an interaction with the XPC protein. *iScience*, 25(4), 104040.

Wei X, et al. (2022) Ablating Lgr5-expressing prostatic stromal cells activates the ERK-mediated mechanosensory signaling and disrupts prostate tissue homeostasis. *Cell reports*, 40(10), 111313.

Cieřla M, et al. (2021) Oncogenic translation directs spliceosome dynamics revealing an integral role for SF3A3 in breast cancer. *Molecular cell*, 81(7), 1453.

Katayama H, et al. (2020) Visualizing and Modulating Mitophagy for Therapeutic Studies of Neurodegeneration. *Cell*, 181(5), 1176.

Parvin S, et al. (2019) LMO2 Confers Synthetic Lethality to PARP Inhibition in DLBCL. *Cancer cell*, 36(3), 237.

Wei X, et al. (2019) Spatially Restricted Stromal Wnt Signaling Restrains Prostate Epithelial Progenitor Growth through Direct and Indirect Mechanisms. *Cell stem cell*, 24(5), 753.

Tebaldi T, et al. (2018) HuD Is a Neural Translation Enhancer Acting on mTORC1-Responsive Genes and Counteracted by the Y3 Small Non-coding RNA. *Molecular cell*, 71(2), 256.

Lynn SA, et al. (2018) A convenient protocol for establishing a human cell culture model of the outer retina. *F1000Research*, 7, 1107.

Kock A, et al. (2018) Inhibition of Microsomal Prostaglandin E Synthase-1 in Cancer-Associated Fibroblasts Suppresses Neuroblastoma Tumor Growth. *EBioMedicine*, 32, 84.

Foskolou IP, et al. (2017) Ribonucleotide Reductase Requires Subunit Switching in Hypoxia to Maintain DNA Replication. *Molecular cell*, 66(2), 206.