

Resource Summary Report

Generated by [kravitz2](#) on Sep 5, 2026

OHSU Advanced Imaging Research Center Core Facility

RRID:SCR_009960

Type: Tool

Proper Citation

OHSU Advanced Imaging Research Center Core Facility (RRID:SCR_009960)

Resource Information

URL: <https://www.ohsu.edu/advanced-imaging-research-center/about-advanced-imaging-research-center>

Proper Citation: OHSU Advanced Imaging Research Center Core Facility (RRID:SCR_009960)

Description: Provides magnetic resonance instruments including Siemens 3 Tesla Prisma, Siemens Magnetom 7 Tesla, and Bruker 11.75 Tesla to support research investigating normal physiology, brain development and aging, and disease pathophysiology with high performance non invasive imaging capabilities.

Abbreviations: AIRC

Synonyms: OHSU Advanced Imaging Research Center

Resource Type: access service resource, core facility, service resource

Keywords: ABRF, USEDit, magnetic resonance imaginig, magnetic resonance instruments

Availability: Restricted

Resource Name: OHSU Advanced Imaging Research Center Core Facility

Resource ID: SCR_009960

Alternate IDs: nlx_156430

Old URLs: <http://ohsu.eagle-i.net/i/00000138-2a45-30ee-9f3a-f10180000000>

Record Creation Time: 20220129T080255+0000

Record Last Update: 20260904T000648+0000

Ratings and Alerts

No rating or validation information has been found for OHSU Advanced Imaging Research Center Core Facility.

No alerts have been found for OHSU Advanced Imaging Research Center Core Facility.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [kravitz2](#) .

Gebest M, et al. (2025) Longitudinal automated brain volumetry versus expert visual assessment of atrophy progression on MRI: an exploratory study. Scientific reports, 15(1), 14968.

Collins HY, et al. (2025) FBXW7 regulates MYRF levels to control myelin capacity and homeostasis in the adult central nervous system. Nature communications, 16(1), 7822.