

Resource Summary Report

Generated by [kravitz2](#) on Sep 9, 2026

ABR5

RRID:WB-STRAIN:WBStrain00000038

Type: Organism

Proper Citation

RRID:WB-STRAIN:WBStrain00000038

Organism Information

URL: <http://www.wormbase.org/db/get?name=WBStrain00000038>

Proper Citation: RRID:WB-STRAIN:WBStrain00000038

Description: Caenorhabditis elegans with name unc-119(ed3) III; stals1. from WB.

Species: Caenorhabditis elegans

Synonyms: unc-119(ed3) III; stals1.

Notes: stals1 [pie-1p::GFP + unc-119(+)]. Superficially wild-type. Maintain under normal conditions. Reference: This strain was used as the empty vector control in Greer EL et al Nature 2010 doi: 10.1038/nature09195.

Affected Gene: WBGene00006843(unc-119)

Genomic Alteration: WBGene00006843(unc-119)

Catalog Number: WB-STRAIN:WBStrain00000038

Database: WormBase (WB)

Database Abbreviation: WB

Availability: available

Alternate IDs: WB-STRAIN:ABR5, CGC_ABR5

Organism Name: ABR5

Record Creation Time: 20230227T013218+0000

Record Last Update: 20260905T114519+0000

Ratings and Alerts

No rating or validation information has been found for ABR5.

No alerts have been found for ABR5.

Data and Source Information

Source: [Integrated Animals](#)

Source Database: WormBase (WB)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [kravitz2](#) .

Gong T, et al. (2024) Roles of Tubulin Concentration during Prometaphase and Ran-GTP during Anaphase of *Caenorhabditis elegans* Meiosis. Life science alliance, 7(9).

Gong T, et al. (2024) Roles of Tubulin Concentration during Prometaphase and Ran-GTP during Anaphase of *C. elegans* meiosis. bioRxiv : the preprint server for biology.