

Resource Summary Report

Generated by [nidm-terms](#) on Aug 16, 2026

Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 350

RRID:AB_2535738

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# A-21081, RRID:AB_2535738)

Antibody Information

URL: http://antibodyregistry.org/AB_2535738

Proper Citation: (Thermo Fisher Scientific Cat# A-21081, RRID:AB_2535738)

Target Antigen: Goat IgG (H+L)

Host Organism: donkey

Clonality: polyclonal secondary

Comments: Applications: Flow, ICC/IF, IHC

Antibody Name: Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 350

Description: This polyclonal secondary targets Goat IgG (H+L)

Target Organism: goat

Antibody ID: AB_2535738

Vendor: Thermo Fisher Scientific

Catalog Number: A-21081

Record Creation Time: 20251213T073529+0000

Record Last Update: 20260225T230708+0000

Ratings and Alerts

No rating or validation information has been found for Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 350.

No alerts have been found for Donkey anti-Goat IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 350.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 6 mentions in open access literature.

Listed below are recent publications. The full list is available at [nidm-terms](#) .

Song MS, et al. (2025) Tubular ER structures shaped by ER-phagy receptors engage in stress-induced Golgi bypass. *Developmental cell*, 60(11), 1568.

Crews FT, et al. (2022) Cholinergic REST-G9a gene repression through HMGB1-TLR4 neuroimmune signaling regulates basal forebrain cholinergic neuron phenotype. *Frontiers in molecular neuroscience*, 15, 992627.

Yang B, et al. (2021) Locus coeruleus anchors a trisynaptic circuit controlling fear-induced suppression of feeding. *Neuron*, 109(5), 823.

Chu LF, et al. (2019) An In Vitro Human Segmentation Clock Model Derived from Embryonic Stem Cells. *Cell reports*, 28(9), 2247.

Jakovljevic M, et al. (2019) Induction of NTPDase1/CD39 by Reactive Microglia and Macrophages Is Associated With the Functional State During EAE. *Frontiers in neuroscience*, 13, 410.

Lu Q, et al. (2017) Immunohistochemical Procedures for Characterizing the Retinal Expression Patterns of Cre Driver Mouse Lines. *Methods in molecular biology* (Clifton, N.J.), 1642, 181.