

Resource Summary Report

Generated by [nidm-terms](#) on Aug 11, 2026

FAS antibody

RRID:AB_367954

Type: Antibody

Proper Citation

GeneTex Cat# GTX15285, RRID:AB_367954

Antibody Information

URL: http://antibodyregistry.org/AB_367954

Proper Citation: GeneTex Cat# GTX15285, RRID:AB_367954

Target Antigen: FAS antibody

Host Organism: rabbit

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: IgG; IgG IHC (Formalin-fixed paraffin-embedded sections), Western blot. IHC-P: Use at a dilution of 1/100. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min. WB: Use at a concentration of 1 µg/ml. Predicted molecular weight: 31 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunohistochemistry - fixed; Western Blot; Immunohistochemistry

Antibody Name: FAS antibody

Description: This polyclonal targets FAS antibody

Target Organism: rat, mouse, human

Antibody ID: AB_367954

Vendor: GeneTex

Catalog Number: GTX15285

Record Creation Time: 20250819T231826+0000

Record Last Update: 20250820T045613+0000

Ratings and Alerts

No rating or validation information has been found for FAS antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: IgG; IgG IHC (Formalin-fixed paraffin-embedded sections), Western blot. IHC-P: Use at a dilution of 1/100. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min. WB: Use at a concentration of 1 µg/ml. Predicted molecular weight: 31 kDa. Not tested in other applications. Optimal dilutions/concentrations should be determined by the end user.; Immunohistochemistry - fixed; Western Blot; Immunohistochemistry

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.