

# Resource Summary Report

Generated by [nidm-terms](#) on Aug 9, 2026

## TtTMPV-Neo

RRID:Addgene\_27993

Type: Plasmid

---

### Proper Citation

RRID:Addgene\_27993

---

### Plasmid Information

**URL:** <http://www.addgene.org/27993>

**Proper Citation:** RRID:Addgene\_27993

**Insert Name:** TtTMPV-Neo (shRen)

**Bacterial Resistance:** Ampicillin

**Defining Citation:** [PMID:21131983](#)

**Vector Backbone Description:** Backbone Marker:Clontech; Backbone Size:9003; Vector Backbone:pQCXIX (modified); Vector Types:Mammalian Expression, Retroviral, RNAi, Fluorescent reporters; Bacterial Resistance:Ampicillin

**Plasmid Name:** TtTMPV-Neo

**Record Creation Time:** 20220422T222126+0000

**Record Last Update:** 20260808T081508+0000

---

### Ratings and Alerts

No rating or validation information has been found for TtTMPV-Neo.

No alerts have been found for TtTMPV-Neo.

---

### Data and Source Information

**Source:** [Addgene](#)

---

### Usage and Citation Metrics

We found 4 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [nidm-terms](#) .

Pereira C, et al. (2023) The exocyst complex is an essential component of the mammalian constitutive secretory pathway. *The Journal of cell biology*, 222(5).

Hertweck A, et al. (2022) The TH1 cell lineage-determining transcription factor T-bet suppresses TH2 gene expression by redistributing GATA3 away from TH2 genes. *Nucleic acids research*, 50(8), 4557.

Parchure A, et al. (2022) Liquid-liquid phase separation facilitates the biogenesis of secretory storage granules. *The Journal of cell biology*, 221(12).

Zuber J, et al. (2011) An integrated approach to dissecting oncogene addiction implicates a Myb-coordinated self-renewal program as essential for leukemia maintenance. *Genes & development*, 25(15), 1628.