

# Resource Summary Report

Generated by [nidm-terms](#) on Aug 9, 2026

## M50 Super 8x TOPFlash

RRID:Addgene\_12456

Type: Plasmid

---

### Proper Citation

RRID:Addgene\_12456

---

### Plasmid Information

**URL:** <http://www.addgene.org/12456>

**Proper Citation:** RRID:Addgene\_12456

**Insert Name:** TCF/LEF binding sites

**Bacterial Resistance:** Ampicillin

**Defining Citation:** [PMID:12699626](#)

**Vector Backbone Description:** Backbone Marker:Clontech; Backbone Size:4871; Vector Backbone:pTA-Luc; Vector Types:Luciferase; Bacterial Resistance:Ampicillin

**Comments:** This is a luciferase reporter of beta-catenin-mediated transcriptional activation. In HEK cells, maximal activation of this reporter is ~100-fold (activation by Wnt) up to ~1,000-fold (activation by phosphorylation mutants of beta-catenin). The appropriate control plasmid is clone M51, Super8XFOPflash, which has mutant TCF/LEF binding sites. This construct was made by Ajamete Kaykas in the Moon lab. The backbone is the pTA-Luc vector of Clontech, which provides a minimal TA viral promoter driving expression of the firefly luciferase gene (see company publications for details). 7 TCF/LEF binding sites were cloned into the Mlu1 site of this vector (7 copies of: AGATCAAAGGgggta, with TCF/LEF binding site in CAP letters, and a spacer in lower case, separating each copy of the TCF/LEF site). Note: This plasmid was published as M50 Super 8x TOPFlash, but the plasmid actually contains 7 TCF/LEF sites.

**Plasmid Name:** M50 Super 8x TOPFlash

**Record Creation Time:** 20220422T221653+0000

**Record Last Update:** 20260808T080646+0000

---

### Ratings and Alerts

No rating or validation information has been found for M50 Super 8x TOPFlash.

No alerts have been found for M50 Super 8x TOPFlash.

---

## Data and Source Information

**Source:** [Addgene](#)

---

## Usage and Citation Metrics

We found 425 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [nidm-terms](#) .

Torborg SR, et al. (2026) Disruption of WNT/Notch signaling in pancreatic cancer reveals tumors depend on the intricate equilibrium of malignant cell states. *Developmental cell*, 61(5), 1012.

Xue L, et al. (2026) Structural basis of the interaction between Norrin-Tspan12. *Structure (London, England : 1993)*, 34(7), 1050.

Lu T, et al. (2026) PUMILIO proteins maintain lineage balance via post-transcriptional repression of germline fate and promotion of somatic differentiation. *Cell reports*, 45(7), 117682.

Maruna M, et al. (2025) RNA trans-splicing to rescue  $\beta$ -catenin: A novel approach for treating CTNNB1-Haploinsufficiency disorder. *Molecular therapy. Nucleic acids*, 36(3), 102680.

Chocarro-Calvo A, et al. (2025) Fatty acid uptake activates an AXL-CAV1- $\beta$ -catenin axis to drive melanoma progression. *Genes & development*, 39(7-8), 463.

Bagger SM, et al. (2025) Complex G-protein signaling of the adhesion GPCR, ADGRA3. *The Journal of biological chemistry*, 301(5), 108441.

Monfries C, et al. (2025) frizzled 5 mutant zebrafish are genetically sensitised to developing microphthalmia and coloboma. *Disease models & mechanisms*, 18(6).

Voss JH, et al. (2025) WNT-induced association of Frizzled and LRP6 is not sufficient for the initiation of WNT/ $\beta$ -catenin signaling. *Nature communications*, 16(1), 4848.

Nakayama M, et al. (2025) Missense Mutant p53 Transactivates Wnt/ $\beta$ -Catenin Signaling in Neighboring p53-Destabilized Cells through the COX-2/PGE2 Pathway. *Cancer research communications*, 5(1), 13.

Xu X, et al. (2025) Endometrial stromal Menin supports endometrial receptivity by maintaining homeostasis of WNT signaling pathway through H3K4me3 during WOI. *Communications biology*, 8(1), 995.

Tader BR, et al. (2025) Nuclear VAV1 increases GLI1-dependent transcription in pancreatic cancer cells. *The Journal of biological chemistry*, 302(1), 110988.

Peng Y, et al. (2025) Structural insights into Wnt/ $\beta$ -catenin signaling regulation by LGR4, R-spondin, and ZNRF3. *Nature communications*, 16(1), 8337.

Wang JM, et al. (2025) KIF26B promotes bladder cancer progression via activating Wnt/ $\beta$ -catenin signaling in a TRAF2-dependent pathway. *Cell reports*, 44(5), 115595.

Wesslowski J, et al. (2025) Quantification of Wnt3a, Wnt5a and Wnt16 Binding to Multiple Frizzleds Under Physiological Conditions Using NanoBit/BRET. *Cells*, 14(11).

Saikia M, et al. (2025) Blocking the functional domain of cancer cell surface TIP1 upregulates Midkine via the  $\beta$ -catenin/Wnt signaling pathway. *Cancer gene therapy*, 32(7), 785.

Rolver MG, et al. (2025) Tumor microenvironment acidosis favors pancreatic cancer stem cell properties and in vivo metastasis. *iScience*, 28(3), 111956.

Xia JB, et al. (2025) FoxO3 controls cardiomyocyte proliferation and heart regeneration by regulating Sfrp2 expression in postnatal mice. *Nature communications*, 16(1), 2532.

Ishii Y, et al. (2025) Compound screening in human airway basal cells identifies Wnt pathway activators as potential pro-regenerative therapies. *Journal of cell science*, 138(7).

Jhe YL, et al. (2025) PKA-Mediated Phosphorylation of SFRP4 Promotes Wnt/ $\beta$ -Catenin Activation and Cancer Stemness in Gastric Cancer. *International journal of molecular sciences*, 26(12).

Bruguera ES, et al. (2025) The co-receptor Tetraspanin12 directly captures Norrin to promote ligand-specific  $\beta$ -catenin signaling. *eLife*, 13.