

# Resource Summary Report

Generated by [nidm-terms](#) on Jul 29, 2026

## SpiecEasi

RRID:SCR\_022712

Type: Tool

---

### Proper Citation

SpiecEasi (RRID:SCR\_022712)

---

### Resource Information

**URL:** <https://github.com/zdk123/SpiecEasi>

**Proper Citation:** SpiecEasi (RRID:SCR\_022712)

**Description:** Software R package for microbiome network analysis. Used for inference of microbial ecological networks from amplicon sequencing datasets. Combines data transformations developed for compositional data analysis with graphical model inference framework that assumes underlying ecological association network is sparse.

**Abbreviations:** SpiecEasi

**Synonyms:** SParse InverseE Covariance Estimation for Ecological Association Inference

**Resource Type:** software application, software resource, data analysis software, data processing software

**Defining Citation:** [PMID:25950956](#)

**Keywords:** microbiome network analysis, amplicon sequencing datasets, microbial ecological networks inference

**Funding:** NIAID AI007180;  
NIDDK DK103358;  
NIGMS GM63270;  
Simons Foundation

**Availability:** Free, Available for download, Freely available

**Resource Name:** SpiecEasi

**Resource ID:** SCR\_022712

**Record Creation Time:** 20220830T050156+0000

**Record Last Update:** 20260729T044545+0000

---

## Ratings and Alerts

No rating or validation information has been found for SpiecEasi.

No alerts have been found for SpiecEasi.

---

## Data and Source Information

**Source:** [SciCrunch Registry](#)

---

## Usage and Citation Metrics

We found 15 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [nidm-terms](#) .

Boulund U, et al. (2025) Infant gut anellovirus composition associates with early life factors and childhood atopic disease. *Nature communications*, 17(1), 80.

Crevecoeur S, et al. (2025) Spatio-Temporal Resolution of Microbial Functions and Taxa Associated With Cyanobacterial Harmful Algae Blooms Along a 500-Km Aquatic Continuum in the Lake Erie Watershed. *Environmental microbiology*, 27(10), e70183.

Jensen IT, et al. (2024) Compositionally aware estimation of cross-correlations for microbiome data. *PloS one*, 19(6), e0305032.

Mazzarella T, et al. (2024) Effect of exogenous treatment with zaxinone and its mimics on rice root microbiota across different growth stages. *Scientific reports*, 14(1), 31374.

Chávez-González JD, et al. (2024) Desert plants, arbuscular mycorrhizal fungi and associated bacteria: Exploring the diversity and role of symbiosis under drought. *Environmental microbiology reports*, 16(4), e13300.

Li J, et al. (2024) Cross-Cohort Gut Microbiome Signatures of Irritable Bowel Syndrome Presentation and Treatment. *Advanced science (Weinheim, Baden-Wurtemberg, Germany)*, 11(41), e2308313.

Li JD, et al. (2024) Dual stressors of infection and warming can destabilize host microbiomes. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 379(1901), 20230069.

Bergman O, et al. (2023) Sodium levels and grazing pressure shape natural communities of the intracellular pathogen *Legionella*. *Microbiome*, 11(1), 167.

Mesquita E, et al. (2023) Entomopathogenic fungus treatment changes the gut bacterial diversity of *Rhipicephalus microplus* ticks. *Parasites & vectors*, 16(1), 185.

Kishore D, et al. (2023) Inferring microbial co-occurrence networks from amplicon data: a systematic evaluation. *mSystems*, 8(4), e0096122.

Wang Q, et al. (2022) Multiomics Analysis Reveals Aberrant Metabolism and Immunity Linked Gut Microbiota with Insomnia. *Microbiology spectrum*, 10(5), e0099822.

Reyman M, et al. (2021) Microbial community networks across body sites are associated with susceptibility to respiratory infections in infants. *Communications biology*, 4(1), 1233.

Miragoli F, et al. (2021) A mixture of quebracho and chestnut tannins drives butyrate-producing bacteria populations shift in the gut microbiota of weaned piglets. *PloS one*, 16(4), e0250874.

Kim HJ, et al. (2018) Fragile skin microbiomes in megacities are assembled by a predominantly niche-based process. *Science advances*, 4(3), e1701581.

Yang H, et al. (2018) Evaluating the profound effect of gut microbiome on host appetite in pigs. *BMC microbiology*, 18(1), 215.