

Resource Summary Report

Generated by PRECISE-TBI on Sep 1, 2026

KLRG1 Monoclonal Antibody (2F1), FITC, eBioscience

RRID:AB_1311265

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# 11-5893-82, RRID:AB_1311265)

Antibody Information

URL: http://antibodyregistry.org/AB_1311265

Proper Citation: (Thermo Fisher Scientific Cat# 11-5893-82, RRID:AB_1311265)

Target Antigen: KLRG1

Host Organism: syrian hamster

Clonality: monoclonal

Comments: Applications: Flow

Consolidation on 1/2020: AB_1311265, AB_10372878

Antibody Name: KLRG1 Monoclonal Antibody (2F1), FITC, eBioscience

Description: This monoclonal targets KLRG1

Target Organism: mouse

Clone ID: Clone 2F1

Antibody ID: AB_1311265

Vendor: Thermo Fisher Scientific

Catalog Number: 11-5893-82

Record Creation Time: 20251213T073520+0000

Record Last Update: 20260828T163652+0000

Ratings and Alerts

No rating or validation information has been found for KLRG1 Monoclonal Antibody (2F1), FITC, eBioscience.

No alerts have been found for KLRG1 Monoclonal Antibody (2F1), FITC, eBioscience.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 11 mentions in open access literature.

Listed below are recent publications. The full list is available at [PRECISE-TBI](#) .

Scharping NE, et al. (2026) Proteostasis sustains T cell differentiation potential and tumor-infiltrating lymphocyte function. *Cell*, 189(10), 2857.

Lanzar ZR, et al. (2025) De-coupling immune parameters and toxicity associated with IL-12 agonism. *Cell reports*, 44(6), 115840.

Christian DA, et al. (2022) cDC1 coordinate innate and adaptive responses in the omentum required for T cell priming and memory. *Science immunology*, 7(75), eabq7432.

Todorov H, et al. (2022) CD8 memory precursor cell generation is a continuous process. *iScience*, 25(9), 104927.

Hall JA, et al. (2020) Obesity-Linked PPAR γ S273 Phosphorylation Promotes Insulin Resistance through Growth Differentiation Factor 3. *Cell metabolism*, 32(4), 665.

Flamar AL, et al. (2020) Interleukin-33 Induces the Enzyme Tryptophan Hydroxylase 1 to Promote Inflammatory Group 2 Innate Lymphoid Cell-Mediated Immunity. *Immunity*, 52(4), 606.

Roy DG, et al. (2020) Methionine Metabolism Shapes T Helper Cell Responses through Regulation of Epigenetic Reprogramming. *Cell metabolism*, 31(2), 250.

Nagashima H, et al. (2019) Neuropeptide CGRP Limits Group 2 Innate Lymphoid Cell Responses and Constrains Type 2 Inflammation. *Immunity*, 51(4), 682.

Bachem A, et al. (2019) Microbiota-Derived Short-Chain Fatty Acids Promote the Memory Potential of Antigen-Activated CD8⁺ T Cells. *Immunity*, 51(2), 285.

Ma EH, et al. (2019) Metabolic Profiling Using Stable Isotope Tracing Reveals Distinct Patterns of Glucose Utilization by Physiologically Activated CD8⁺ T Cells. *Immunity*, 51(5), 856.

Römer C, et al. (2015) Blocking stroke-induced immunodeficiency increases CNS antigen-specific autoreactivity but does not worsen functional outcome after experimental stroke. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 35(20), 7777.