

# Resource Summary Report

Generated by PRECISE-TBI on Aug 2, 2026

## ConTrack

RRID:SCR\_002681

Type: Tool

---

### Proper Citation

ConTrack (RRID:SCR\_002681)

---

### Resource Information

**URL:** <https://simtk.org/home/ctrack>

**Proper Citation:** ConTrack (RRID:SCR\_002681)

**Description:** An algorithm for identifying pathways that are known to exist between two regions within DTI data of anisotropic tissue, e.g., muscle, brain, spinal cord. The ConTrack algorithms use knowledge of DTI scanning physics and apriori information about tissue architecture to identify the location of connections between two regions within the DTI data. Assuming a course of connection or pathway between these two regions is known to exist within the measured tissue, ConTrack can be used to estimate properties of these connections in-vivo.

**Abbreviations:** ConTrack

**Synonyms:** Connectivity Tracking, Connectivity Tracking (ConTrack)

**Resource Type:** image processing software, software resource, data processing software, software application

**Defining Citation:** [PMID:18831651](#)

**Keywords:** diffusion tensor imaging, tractography, brain connectivity, mri, software, source code, pathway, fiber tractography, tissue analysis

**Funding:** NIH Roadmap for Medical Research ;  
NIGMS U54 GM072970;  
NEI EY015000

**Availability:** Free, Available for download, Freely available

**Resource Name:** ConTrack

**Resource ID:** SCR\_002681

**Alternate IDs:** nif-0000-23303

**License:** MIT License

**Record Creation Time:** 20220129T080214+0000

**Record Last Update:** 20260803T040334+0000

---

## Ratings and Alerts

No rating or validation information has been found for ConTrack.

No alerts have been found for ConTrack.

---

## Data and Source Information

**Source:** [SciCrunch Registry](#)

---

## Usage and Citation Metrics

We found 13 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [PRECISE-TBI](#) .

Taguma D, et al. (2025) Evaluating the impact of denoising diffusion MRI data on tractometry metrics of optic tract abnormalities in glaucoma. Scientific reports, 15(1), 25812.

Abramovitch H, et al. (2025) Visual Tract Integrity Before and After Gene Therapy in Congenital Achromatopsia. Translational vision science & technology, 14(2), 9.

Islam S, et al. (2024) Self-supervised learning for interventional image analytics: toward robust device trackers. Journal of medical imaging (Bellingham, Wash.), 11(3), 035001.

Chan AYC, et al. (2022) Neural Correlates of Sensory Eye Dominance in Human Visual White Matter Tracts. eNeuro, 9(6).

Moon Y, et al. (2021) In vivo Analysis of Normal Optic Nerve in an Elderly Population Using Diffusion Magnetic Resonance Imaging Tractography. Frontiers in neurology, 12, 680488.

Minami S, et al. (2020) Inter-individual Differences in Occipital Alpha Oscillations Correlate with White Matter Tissue Properties of the Optic Radiation. eNeuro, 7(2).

Takemura H, et al. (2020) Predicting Neural Response Latency of the Human Early Visual Cortex from MRI-Based Tissue Measurements of the Optic Radiation. eNeuro, 7(4).

Takemura H, et al. (2019) Diffusivity and quantitative T1 profile of human visual white matter tracts after retinal ganglion cell damage. NeuroImage. Clinical, 23, 101826.

Wang C, et al. (2018) White matter tract-specific quantitative analysis in multiple sclerosis: Comparison of optic radiation reconstruction techniques. PloS one, 13(1), e0191131.

Kuchling J, et al. (2018) Comparison of probabilistic tractography and tract-based spatial statistics for assessing optic radiation damage in patients with autoimmune inflammatory disorders of the central nervous system. Neurolmage. Clinical, 19, 538.

Klistorner A, et al. (2018) Diffusivity in the core of chronic multiple sclerosis lesions. PloS one, 13(4), e0194142.

Klistorner A, et al. (2015) Decoding diffusivity in multiple sclerosis: analysis of optic radiation lesional and non-lesional white matter. PloS one, 10(3), e0122114.

Li K, et al. (2015) The effects of acupuncture treatment on the right frontoparietal network in migraine without aura patients. The journal of headache and pain, 16, 518.