

# Resource Summary Report

Generated by PRECISE-TBI on Sep 1, 2026

## WPI: Constant Current Stimulus Isolator

RRID:SCR\_022660

Type: Tool

---

### Proper Citation

WPI: Constant Current Stimulus Isolator (RRID:SCR\_022660)

---

### Resource Information

**URL:** <https://www.wpiinc.com/var-2273-constant-current-stimulus-isolator>

**Proper Citation:** WPI: Constant Current Stimulus Isolator (RRID:SCR\_022660)

**Description:** Automated bipolar pulsing for zero net charge on biological preparations. Includes Constant current, Unipolar and bipolar stimulation modes, Built-in non-compliance alarm, Optically isolated input Standard TTL triggering, DC test mode. Powered by 9 V alkaline or rechargeable batteries.

**Synonyms:** Stimulus Isolator, WPI Constant Current Stimulus Isolator, Constant Current Stimulus Isolator

**Resource Type:** instrument resource

**Keywords:** Isolator, stimulus isolator, constant current isolator, constant current, World Precision Instruments, USEDit, instrument, equipment

**Availability:** Restricted

**Resource Name:** WPI: Constant Current Stimulus Isolator

**Resource ID:** SCR\_022660

**Alternate IDs:** Model\_Number\_A365

**Record Creation Time:** 20220810T050149+0000

**Record Last Update:** 20260829T182820+0000

---

### Ratings and Alerts

No rating or validation information has been found for WPI: Constant Current Stimulus Isolator.

No alerts have been found for WPI: Constant Current Stimulus Isolator.

---

## Data and Source Information

**Source:** [SciCrunch Registry](#)

---

## Usage and Citation Metrics

We found 1 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [PRECISE-TBI](#) .

Sinha AK, et al. (2026) Elucidating the Role of Muscarinic Acetylcholine Receptor Signalling in Efferent-Mediated Responses of Mammalian Vestibular Afferents. The European journal of neuroscience, 63(10), e70540.