

# Resource Summary Report

Generated by SPARC SAWG on Sep 17, 2026

## MGH Center for Morphometric Analysis

RRID:SCR\_000885

Type: Tool

---

### Proper Citation

MGH Center for Morphometric Analysis (RRID:SCR\_000885)

---

### Resource Information

**URL:** <http://www.cma.mgh.harvard.edu/>

**Proper Citation:** MGH Center for Morphometric Analysis (RRID:SCR\_000885)

**Description:** A center dedicated to developing and applying morphometric methods to biomedical imaging data such as high-resolution MRI. The lab uses automated and semi-automated software such that MRI brain images are segmented into anatomical regions of interest. Projects in both basic and applied brain research include research on strokes and tumors; medical image processing research includes shape analysis of anatomical brain regions and measurement and analysis of brain volumes.

**Resource Type:** instrument supplier, material resource

**Keywords:** brain, neuroscience, imaging, mri, magnetic resonance imaging, morphometric, biomedical, software, automated, anatomy

**Resource Name:** MGH Center for Morphometric Analysis

**Resource ID:** SCR\_000885

**Alternate IDs:** nlx\_156387

**Alternate URLs:** <http://harvard.eagle-i.net/i/0000012e-9721-d0fd-55da-381e80000000>

**Record Creation Time:** 20220129T080204+0000

**Record Last Update:** 20260912T200310+0000

---

### Ratings and Alerts

No rating or validation information has been found for MGH Center for Morphometric Analysis.

No alerts have been found for MGH Center for Morphometric Analysis.

## Data and Source Information

**Source:** [SciCrunch Registry](#)

## Usage and Citation Metrics

We found 15 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [SPARC SAWG](#) .

Yanagihara TK, et al. (2017) Quantitative Analysis of the Spatial Distribution of Metastatic Brain Lesions. Tomography (Ann Arbor, Mich.), 3(1), 16.

Haupt M, et al. (2017) The zero effect: voxel-based lesion symptom mapping of number transcoding errors following stroke. Scientific reports, 7(1), 9242.

Bartel F, et al. (2017) Regional analysis of volumes and reproducibilities of automatic and manual hippocampal segmentations. PloS one, 12(2), e0166785.

Matt E, et al. (2017) Early dysfunctions of fronto-parietal praxis networks in Parkinson's disease. Brain imaging and behavior, 11(2), 512.

Lukinova E, et al. (2016) Impact of Short Social Training on Prosocial Behaviors: An fMRI Study. Frontiers in systems neuroscience, 10, 60.

Dillen KNH, et al. (2016) Aberrant functional connectivity differentiates retrosplenial cortex from posterior cingulate cortex in prodromal Alzheimer's disease. Neurobiology of aging, 44, 114.

Gruber M, et al. (2014) [Pheochromocytoma: update on diagnosis and therapy]. Deutsche medizinische Wochenschrift (1946), 139(10), 486.

Agosta F, et al. (2014) Resting state functional connectivity alterations in primary lateral sclerosis. Neurobiology of aging, 35(4), 916.

Haller A, et al. (2014) Sunk costs in the human brain. Neurolmage, 97, 127.

Koopmans PJ, et al. (2012) Whole brain, high resolution spin-echo resting state fMRI using PINS multiplexing at 7 T. Neurolmage, 62(3), 1939.

Delmonte S, et al. (2012) Social and monetary reward processing in autism spectrum disorders. Molecular autism, 3(1), 7.

Broser PJ, et al. (2012) Functional MRI-guided probabilistic tractography of cortico-cortical and cortico-subcortical language networks in children. Neurolmage, 63(3), 1561.

Broser P, et al. (2011) Robust subdivision of the thalamus in children based on probability distribution functions calculated from probabilistic tractography. Neurolmage, 57(2), 403.

Walhovd KB, et al. (2010) Multi-modal imaging predicts memory performance in normal aging and cognitive decline. Neurobiology of aging, 31(7), 1107.

Walhovd KB, et al. (2009) Multimodal imaging in mild cognitive impairment: Metabolism, morphometry and diffusion of the temporal-parietal memory network. *NeuroImage*, 45(1), 215.