

Resource Summary Report

Generated by SPARC SAWG on Sep 18, 2026

MaizeGDB

RRID:SCR_006600

Type: Tool

Proper Citation

MaizeGDB (RRID:SCR_006600)

Resource Information

URL: <http://www.maizegdb.org>

Proper Citation: MaizeGDB (RRID:SCR_006600)

Description: Collection of data related to crop plant and model organism Zea mays. Used to synthesize, display, and provide access to maize genomics and genetics data, prioritizing mutant and phenotype data and tools, structural and genetic map sets, and gene models and to provide support services to the community of maize researchers. Data stored at MaizeGDB was inherited from the MaizeDB and ZmDB projects. Sequence data are from GenBank. Data are searchable by phenotype, traits, Pests, Gel Pattern, and Mutant Images.

Abbreviations: MaizeGDB

Synonyms: Maize Genetics and Genomics Database, MaizeGDB, MaizeGDB Locus

Resource Type: analysis service resource, data analysis service, data or information resource, data repository, database, organism-related portal, portal, production service resource, service resource, storage service resource, topical portal

Defining Citation: [PMID:21624896](#), [PMID:18769488](#), [PMID:15888678](#), [PMID:14681441](#)

Keywords: zea mays, corn, model organism, genome, locus, metabolic pathway, genetics, genomics, sequence, gene product, function, literature reference, phenotype, trait, pest, gel pattern, mutant, blast, gene, image, corn, genotype-environment interaction, gene mapping, plant genome mapping, plant genome, gold standard, bio.tools, FASEB list

Funding: National Corn Growers Association ;
NSF ;
USDA/ARS ;
USDA

Availability: Free, Freely available, Acknowledgement requested, The community can contribute to this resource

Resource Name: MaizeGDB

Resource ID: SCR_006600

Alternate IDs: OMICS_01655, biotools:MaizeDIG, nif-0000-03096, r3d100010795

Alternate URLs: <https://bio.tools/MaizeDIG>, <https://doi.org/10.17616/R3V32B>

Record Creation Time: 20220129T080237+0000

Record Last Update: 20260912T195642+0000

Ratings and Alerts

No rating or validation information has been found for MaizeGDB.

No alerts have been found for MaizeGDB.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 1047 mentions in open access literature.

Listed below are recent publications. The full list is available at [SPARC SAWG](#) .

Wang S, et al. (2026) Predicted protein 3D structures provide essential insights into the genetic architecture underlying phenotypic diversity in maize. *Genome research*, 36(1), 214.

Chen M, et al. (2026) Genome-wide association study identifies key loci and candidate genes for maize grain yield-related traits. *BMC plant biology*, 26(1).

Zhang X, et al. (2026) Genome-wide identification and characterization of the RPA gene family in maize. *BMC plant biology*, 26(1).

Yang Z, et al. (2026) Identification and Expression Analysis of the Goji Haploid-Inducible Gene DMP. *International journal of molecular sciences*, 27(6).

Sun S, et al. (2026) Integrating BSA-Seq and RNA-Seq to Identify Major QTLs and Candidate Genes Conferring Resistance to Fusarium Ear Rot in Maize. *Plants (Basel, Switzerland)*, 15(6).

Fattel L, et al. (2026) Go Big or go home: a new gene ontology subset that improves plant gene function prediction. *Plant methods*, 22(1).

- Wang S, et al. (2026) QTL mapping, validation, and candidate gene predicting for maize plant architecture traits via bulked segregant analysis plus linkage analysis with F₂ population. *BMC plant biology*, 26(1).
- Guo C, et al. (2026) Coupling photosynthetic physiology and C₄ enzyme regulation enhances grain yield in no-tillage intercropped maize in an irrigated oasis region. *Frontiers in plant science*, 17, 1780528.
- Meng F, et al. (2026) Structural, Evolutionary, and Regulatory Divergence of FAH12 from FAD2 Reveals Recurrent Independent Neofunctionalization Underlying Ricinoleic Acid Biosynthesis in *Ricinus communis*. *Plants (Basel, Switzerland)*, 15(10).
- Gee M, et al. (2026) Yield impact of source-sink-regulated senescence in hybrid maize and genetic architecture in exPVP inbreds. *TAG. Theoretical and applied genetics. Theoretische und angewandte Genetik*, 139(5).
- Wang J, et al. (2026) Integrated experimental and computational workflows for single-cell transcriptomics in plants. *Plant methods*, 22(1), 12.
- Abdolmaleki A, et al. (2026) Transcriptomic and physiological effects of superabsorbent polymer seed coating on maize under drought stress. *Frontiers in plant science*, 17, 1736004.
- Sun J, et al. (2026) An integrated QTL-GWAS approach fine-maps a major locus (qMWS3 - 2) for stable resistance to maize white spot in tropical germplasm. *BMC plant biology*, 26(1).
- Ren Z, et al. (2026) Mining and Analysis of Salt Tolerance Genes in Maize at the Seedling Stage. *Current issues in molecular biology*, 48(4).
- Liu Z, et al. (2026) Maize ZmbZIP92 transcription factor positively regulates drought tolerance in *Arabidopsis*. *Plant signaling & behavior*, 21(1), 2635681.
- Shi J, et al. (2026) ZmMYB127 controls maize endosperm filling via dual-transcriptional regulation to improve grain yield and quality. *Nature plants*, 12(3), 617.
- Mullens A, et al. (2026) A Malectin-Like Receptor Kinase and Bacterial Motility Shape Tissue-Specific Maize-*Xanthomonas vasicola* Interactions. *Molecular plant pathology*, 27(6), e70295.
- Li X, et al. (2026) Genetic Mapping Identifies Stable QTL and Candidate Genes Regulating Internode Proportion for Maize Plant Architecture Improvement. *Genes*, 17(2).
- Wang B, et al. (2026) GWAS-Based Mining of Candidate Genes for Low-Nitrogen Tolerance in Maize. *International journal of molecular sciences*, 27(4).
- Sun J, et al. (2026) ZmWAKL21 is a maize wall-associated kinase-like protein that interacts with AvrRppC and contributes to southern corn rust resistance. *Cellular & molecular biology letters*, 31(1).