

Resource Summary Report

Generated by SPARC SAWG on Sep 15, 2026

MEFIT

RRID:SCR_010743

Type: Tool

Proper Citation

MEFIT (RRID:SCR_010743)

Resource Information

URL: <http://avis.princeton.edu/mefit/>

Proper Citation: MEFIT (RRID:SCR_010743)

Description: MEFIT is a Microarray Experiment Functional Integration Technology. Given any amount of microarray data, it predicts the probability of pairwise functional relationship for any gene pair within individual biological functions. This web site makes the results of this evaluation available for download and provides an online view of the test set predictions based on hierarchical clustering. As a framework, MEFIT uses the results of many microarray experiments in combination with known biological process annotations (drawn from the Gene Ontology, KEGG, MIPS, or a biologist's own pathways of interest) to predict new gene pair functional relationships within the given biological functions. Or in other words, MEFIT is a system that takes microarray results and known functional annotations as inputs and produces predicted gene pair functional relationships as output. To make these predictions, MEFIT uses a Bayesian network that consumes microarray data as input observations and produces predicted functional relationships through a single unobserved (except during training) node. Furthermore, to make predictions within the context of individual biological functions, a single Bayesian network structure is replicated once per function of interest. These networks with identical structure are then trained using known functional annotations such that each function's network learns its own set of conditional probabilities. These probabilities encode how predictive each microarray experiment is of a particular function; for example, a sporulation time course might be very predictive of meiosis, but not much help in determining which genes perform ATP synthesis. We've evaluated this system using a collection of 40 microarray data sets and 200 biological processes. Select a biological function from the menu to view the results of clustering the *S. cerevisiae* genome using MEFIT's test set predictions within that function as a similarity metric. Alternatively, enter a gene name or ORF identifier to list only functions in which that gene is predicted to be active. We are currently able to offer for download: The MEFIT README file, a Windows version and Linux version.

Abbreviations: MEFIT

Synonyms: Microarray Experiment Functional Integration Technology

Resource Type: analysis service resource, data analysis service, production service resource, service resource, software resource

Defining Citation: [PMID:17005538](#)

Resource Name: MEFIT

Resource ID: SCR_010743

Alternate IDs: nlx_97939

Record Creation Time: 20220129T080300+0000

Record Last Update: 20260912T195722+0000

Ratings and Alerts

No rating or validation information has been found for MEFIT.

No alerts have been found for MEFIT.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 25 mentions in open access literature.

Listed below are recent publications. The full list is available at [SPARC SAWG](#) .

McGuire CE, et al. (2026) Revisiting co-expression-based automated function prediction in yeast with neural networks and updated Gene Ontology annotations. PloS one, 21(4), e0322689.

Bridy PV, et al. (2025) Human papillomavirus 16 mitigates Sneathia vaginalis-induced damage to cervical keratinocytes. mSphere, 10(7), e0015225.

McCoy ZT, et al. (2024) Antibody Response to the Sneathia vaginalis Cytopathogenic Toxin A during Pregnancy. ImmunoHorizons, 8(1), 114.

Efremova I, et al. (2024) Akkermansia muciniphila is associated with normal muscle mass and Eggerthella is related with sarcopenia in cirrhosis. Frontiers in nutrition, 11, 1438897.

Efremova I, et al. (2023) Gut Dysbiosis and Hemodynamic Changes as Links of the Pathogenesis of Complications of Cirrhosis. Microorganisms, 11(9).

Ivashkin V, et al. (2023) Eubiotic effect of rifaximin is associated with decreasing abdominal pain in symptomatic uncomplicated diverticular disease: results from an

observational cohort study. BMC gastroenterology, 23(1), 82.

Huang Z, et al. (2023) The Effect of the Microalgae *Chlorella vulgaris* on the Gut Microbiota of Juvenile Nile Tilapia (*Oreochromis niloticus*) Is Feeding-Time Dependent. Microorganisms, 11(4).

Paz EA, et al. (2022) Bacterial communities in the gastrointestinal tract segments of helminth-resistant and helminth-susceptible sheep. Animal microbiome, 4(1), 23.

Sun S, et al. (2022) Race, the Vaginal Microbiome, and Spontaneous Preterm Birth. mSystems, 7(3), e0001722.

Kawser AQMR, et al. (2022) Microbiome data reveal significant differences in the bacterial diversity in freshwater rohu (*Labeo rohita*) across the supply chain in Dhaka, Bangladesh. Letters in applied microbiology, 75(4), 813.

Maslennikov R, et al. (2021) Gut dysbiosis is associated with poorer long-term prognosis in cirrhosis. World journal of hepatology, 13(5), 557.

Islam SMR, et al. (2021) Insights into the nutritional properties and microbiome diversity in sweet and sour yogurt manufactured in Bangladesh. Scientific reports, 11(1), 22667.

Ivashkin V, et al. (2021) Disruption of the pro-inflammatory, anti-inflammatory cytokines and tight junction proteins expression, associated with changes of the composition of the gut microbiota in patients with irritable bowel syndrome. PloS one, 16(6), e0252930.

Kenna JE, et al. (2021) Changes in the Gut Microbiome and Predicted Functional Metabolic Effects in an Australian Parkinson's Disease Cohort. Frontiers in neuroscience, 15, 756951.

Meldal BHM, et al. (2021) Analysing the yeast complexome-the Complex Portal rising to the challenge. Nucleic acids research, 49(6), 3156.

van Leeuwen J, et al. (2020) Systematic analysis of bypass suppression of essential genes. Molecular systems biology, 16(9), e9828.

Semenov MV, et al. (2020) Spatial Changes in Microbial Communities along Different Functional Zones of a Free-Water Surface Wetland. Microorganisms, 8(10).

Gupta SK, et al. (2020) Impact of varied combinatorial mixture of non-fishmeal ingredients on growth, metabolism, immunity and gut microbiota of *Lates calcarifer* (Bloch, 1790) fry. Scientific reports, 10(1), 17091.

Baldini F, et al. (2020) Parkinson's disease-associated alterations of the gut microbiome predict disease-relevant changes in metabolic functions. BMC biology, 18(1), 62.

Donowitz JR, et al. (2019) Increased Fecal *Lactobacillus* Is Associated With a Positive Glucose Hydrogen Breath Test in Bangladeshi Children. Open forum infectious diseases, 6(7), ofz266.