

# Resource Summary Report

Generated by SPARC SAWG on Jul 28, 2026

## Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany

RRID:SCR\_011341

Type: Tool

### Proper Citation

Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany  
(RRID:SCR\_011341)

### Resource Information

**URL:** <http://www.ipk-gatersleben.de/en/>

**Proper Citation:** Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany (RRID:SCR\_011341)

**Abbreviations:** IPK

**Synonyms:** Leibniz-Institut für Pflanzengenetik und Kulturpflanzenforschung, Leibniz-Institut für Pflanzengenetik und Kulturpflanzenforschung (IPK), Leibniz-Institut für Pflanzengenetik und Kulturpflanzenforschung (IPK), Leibniz-Institut für Pflanzengenetik und Kulturpflanzenforschung, Leibniz Institute of Plant Genetics and Crop Plant Research, IPK Gatersleben

**Resource Type:** institution

**Resource Name:** Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany

**Resource ID:** SCR\_011341

**Record Creation Time:** 20220129T080304+0000

**Record Last Update:** 20260725T190714+0000

### Ratings and Alerts

No rating or validation information has been found for Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany.

No alerts have been found for Leibniz Institute of Plant Genetics and Crop Plant Research; Saxony-Anhalt; Germany.

## Data and Source Information

**Source:** [SciCrunch Registry](#)

---

## Usage and Citation Metrics

We found 3 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [SPARC SAWG](#) .

Junker A, et al. (2014) Optimizing experimental procedures for quantitative evaluation of crop plant performance in high throughput phenotyping systems. *Frontiers in plant science*, 5, 770.

Galili G, et al. (2014) The role of photosynthesis and amino acid metabolism in the energy status during seed development. *Frontiers in plant science*, 5, 447.

Kumar SP, et al. (2007) Comparative analysis of the 100 kb region containing the Pi-k(h) locus between indica and japonica rice lines. *Genomics, proteomics & bioinformatics*, 5(1), 35.