

# Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](https://fdi-lab.sci-crunch.org) on Apr 25, 2025

## Rabbit anti-RNF2 Antibody, Affinity Purified

RRID:AB\_10632773

Type: Antibody

### Proper Citation

(Thermo Fisher Scientific Cat# A302-869A, RRID:AB\_10632773)

### Antibody Information

**URL:** [http://antibodyregistry.org/AB\\_10632773](http://antibodyregistry.org/AB_10632773)

**Proper Citation:** (Thermo Fisher Scientific Cat# A302-869A, RRID:AB\_10632773)

**Target Antigen:** RNF2

**Host Organism:** rabbit

**Clonality:** polyclonal

**Comments:** Discontinued; Applications: IHC (1:500-1:2,000), ChIP-seq (10 µg/IP), IP (2-5 µg/mg lysate), WB (1:2,000-1:10,000)

**Antibody Name:** Rabbit anti-RNF2 Antibody, Affinity Purified

**Description:** This polyclonal targets RNF2

**Target Organism:** Human, Mouse

**Antibody ID:** AB\_10632773

**Vendor:** Thermo Fisher Scientific

**Catalog Number:** A302-869A

**Record Creation Time:** 20250416T092428+0000

**Record Last Update:** 20250416T100112+0000

### Ratings and Alerts

- ENCODE PROJECT External validation for lot: 1 is available under ENCODE ID: ENCAB790JUW - ENCODE <https://www.encodeproject.org/antibodies/ENCAB790JUW>

**Warning:** Discontinued at Thermo Fisher Scientific

Discontinued; Applications: IHC (1:500-1:2,000), ChIP-seq (10 µg/IP), IP (2-5 µg/mg lysate), WB (1:2,000-1:10,000)

---

## Data and Source Information

**Source:** [Antibody Registry](#)

---

## Usage and Citation Metrics

We found 8 mentions in open access literature.

**Listed below are recent publications.** The full list is available at [FDI Lab - SciCrunch.org](#).

Matsui S, et al. (2024) Protocol for establishing inducible CRISPRd system for blocking transcription factor-binding sites in human pluripotent stem cells. STAR protocols, 5(3), 103233.

Matsui S, et al. (2024) Pioneer and PRDM transcription factors coordinate bivalent epigenetic states to safeguard cell fate. Molecular cell, 84(3), 476.

Liang Q, et al. (2022) Essential role of MESP1-RING1A complex in cardiac differentiation. Developmental cell, 57(22), 2533.

Liu S, et al. (2021) NRF1 association with AUTS2-Polycomb mediates specific gene activation in the brain. Molecular cell, 81(22), 4663.

Miyamoto R, et al. (2020) Activation of CpG-Rich Promoters Mediated by MLL Drives MOZ-Rearranged Leukemia. Cell reports, 32(13), 108200.

Wang Z, et al. (2018) A Non-canonical BCOR-PRC1.1 Complex Represses Differentiation Programs in Human ESCs. Cell stem cell, 22(2), 235.

Lyu X, et al. (2018) Architectural Proteins and Pluripotency Factors Cooperate to Orchestrate the Transcriptional Response of hESCs to Temperature Stress. Molecular cell, 71(6), 940.

Kundu S, et al. (2017) Polycomb Repressive Complex 1 Generates Discrete Compacted Domains that Change during Differentiation. Molecular cell, 65(3), 432.