

Resource Summary Report

Generated by FDI Lab - SciCrunch.org on Apr 24, 2025

Mouse monoclonal [SB62a] Secondary Antibody to Rabbit IgG light chain (HRP)

RRID:AB_10673897

Type: Antibody

Proper Citation

(Abcam Cat# ab99697, RRID:AB_10673897)

Antibody Information

URL: http://antibodyregistry.org/AB_10673897

Proper Citation: (Abcam Cat# ab99697, RRID:AB_10673897)

Target Antigen: Mouse monoclonal [SB62a] Secondary to Rabbit IgG light chain (HRP)

Host Organism: mouse

Clonality: monoclonal

Comments: validation status unknown, seller recommendations provided in 2012:2b;2
ELISA, WB; Western Blot; ELISA

Antibody Name: Mouse monoclonal [SB62a] Secondary Antibody to Rabbit IgG light chain (HRP)

Description: This monoclonal targets Mouse monoclonal [SB62a] Secondary to Rabbit IgG light chain (HRP)

Target Organism: rabbit

Antibody ID: AB_10673897

Vendor: Abcam

Catalog Number: ab99697

Record Creation Time: 20231110T070442+0000

Record Last Update: 20241115T132156+0000

Ratings and Alerts

No rating or validation information has been found for Mouse monoclonal [SB62a] Secondary Antibody to Rabbit IgG light chain (HRP).

No alerts have been found for Mouse monoclonal [SB62a] Secondary Antibody to Rabbit IgG light chain (HRP).

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 9 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Popovi? B, et al. (2023) Time-dependent regulation of cytokine production by RNA binding proteins defines T cell effector function. *Cell reports*, 42(5), 112419.

Abe Y, et al. (2023) RANK ligand converts the NCoR/HDAC3 co-repressor to a PGC1?- and RNA-dependent co-activator of osteoclast gene expression. *Molecular cell*, 83(19), 3421.

Barrington CL, et al. (2023) Synonymous codon usage regulates translation initiation. *Cell reports*, 42(12), 113413.

Kim H, et al. (2021) PIE-1 SUMOylation promotes germline fates and piRNA-dependent silencing in *C. elegans*. *eLife*, 10.

Kim H, et al. (2021) HDAC1 SUMOylation promotes Argonaute-directed transcriptional silencing in *C. elegans*. *eLife*, 10.

Zhang J, et al. (2020) Aster-C coordinates with COP I vesicles to regulate lysosomal trafficking and activation of mTORC1. *EMBO reports*, 21(9), e49898.

Zhou KI, et al. (2019) Regulation of Co-transcriptional Pre-mRNA Splicing by m6A through the Low-Complexity Protein hnRNP G. *Molecular cell*, 76(1), 70.

Mukai J, et al. (2019) Recapitulation and Reversal of Schizophrenia-Related Phenotypes in *Setd1a*-Deficient Mice. *Neuron*, 104(3), 471.

Streubel G, et al. (2018) The H3K36me2 Methyltransferase Nsd1 Demarcates PRC2-Mediated H3K27me2 and H3K27me3 Domains in Embryonic Stem Cells. *Molecular cell*, 70(2), 371.