Resource Summary Report

Generated by FDI Lab - SciCrunch.org on Apr 27, 2024

Goat Anti-Rabbit IgG Antibody, IRDye 680LT Conjugated

RRID:AB_10795015

Type: Antibody

Proper Citation

(LI-COR Biosciences Cat# 827-11081, RRID:AB_10795015)

Antibody Information

URL: http://antibodyregistry.org/AB_10795015

Proper Citation: (LI-COR Biosciences Cat# 827-11081, RRID:AB_10795015)

Target Antigen: IgG

Host Organism: goat

Clonality: polyclonal

Comments: Discontinued; Applications: WB

Antibody Name: Goat Anti-Rabbit IgG Antibody, IRDye 680LT Conjugated

Description: This polyclonal targets IgG

Target Organism: rabbit

Antibody ID: AB_10795015

Vendor: LI-COR Biosciences

Catalog Number: 827-11081

Ratings and Alerts

No rating or validation information has been found for Goat Anti-Rabbit IgG Antibody, IRDye 680LT Conjugated.

Warning: Discontinued

Discontinued; Applications: WB

Data and Source Information

Source: Antibody Registry

Usage and Citation Metrics

We found 8 mentions in open access literature.

Listed below are recent publications. The full list is available at FDI Lab - SciCrunch.org.

Remmelzwaal S, et al. (2021) BBLN-1 is essential for intermediate filament organization and apical membrane morphology. Current biology: CB, 31(11), 2334.

Cao Y, et al. (2020) Microtubule Minus-End Binding Protein CAMSAP2 and Kinesin-14 Motor KIFC3 Control Dendritic Microtubule Organization. Current biology: CB, 30(5), 899.

He L, et al. (2020) Cortical anchoring of the microtubule cytoskeleton is essential for neuron polarity. eLife, 9.

Atherton J, et al. (2020) The mechanism of kinesin inhibition by kinesin-binding protein. eLife, 9.

Pan X, et al. (2019) MAP7D2 Localizes to the Proximal Axon and Locally Promotes Kinesin-1-Mediated Cargo Transport into the Axon. Cell reports, 26(8), 1988.

Rampérez A, et al. (2019) Photoconversion of FM1-43 Reveals Differences in Synaptic Vesicle Recycling and Sensitivity to Pharmacological Disruption of Actin Dynamics in Individual Synapses. ACS chemical neuroscience, 10(4), 2045.

Scheefhals N, et al. (2019) Shank Proteins Couple the Endocytic Zone to the Postsynaptic Density to Control Trafficking and Signaling of Metabotropic Glutamate Receptor 5. Cell reports, 29(2), 258.

Xu P, et al. (2017) COPI mediates recycling of an exocytic SNARE by recognition of a ubiquitin sorting signal. eLife, 6.