

Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](https://fdi-lab.sci-crunch.org) on May 4, 2025

PE anti-human CD183 (CXCR3)

RRID:AB_10962912

Type: Antibody

Proper Citation

(BioLegend Cat# 353706, RRID:AB_10962912)

Antibody Information

URL: http://antibodyregistry.org/AB_10962912

Proper Citation: (BioLegend Cat# 353706, RRID:AB_10962912)

Target Antigen: CD183

Host Organism: mouse

Clonality: monoclonal

Comments: Applications: FC

Antibody Name: PE anti-human CD183 (CXCR3)

Description: This monoclonal targets CD183

Target Organism: cynomolgus, rhesus, human

Clone ID: Clone G025H7

Antibody ID: AB_10962912

Vendor: BioLegend

Catalog Number: 353706

Alternative Catalog Numbers: 353705

Record Creation Time: 20231110T062833+0000

Record Last Update: 20241115T084034+0000

Ratings and Alerts

No rating or validation information has been found for PE anti-human CD183 (CXCR3).

No alerts have been found for PE anti-human CD183 (CXCR3).

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 10 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Kaczanowska S, et al. (2024) Immune determinants of CAR-T cell expansion in solid tumor patients receiving GD2 CAR-T cell therapy. *Cancer cell*, 42(1), 35.

Nellore A, et al. (2023) A transcriptionally distinct subset of influenza-specific effector memory B cells predicts long-lived antibody responses to vaccination in humans. *Immunity*, 56(4), 847.

Hasegawa T, et al. (2023) Cytotoxic CD4⁺ T cells eliminate senescent cells by targeting cytomegalovirus antigen. *Cell*, 186(7), 1417.

Lukhele S, et al. (2022) The transcription factor IRF2 drives interferon-mediated CD8⁺ T cell exhaustion to restrict anti-tumor immunity. *Immunity*, 55(12), 2369.

Gamradt S, et al. (2021) Reduced mitochondrial respiration in T cells of patients with major depressive disorder. *iScience*, 24(11), 103312.

Lam AJ, et al. (2021) Optimized CRISPR-mediated gene knockin reveals FOXP3-independent maintenance of human Treg identity. *Cell reports*, 36(5), 109494.

Szodoray P, et al. (2021) Integration of T helper and BCR signals governs enhanced plasma cell differentiation of memory B cells by regulation of CD45 phosphatase activity. *Cell reports*, 36(6), 109525.

Martin-Gayo E, et al. (2020) Immunological Fingerprints of Controllers Developing Neutralizing HIV-1 Antibodies. *Cell reports*, 30(4), 984.

Jelicic I, et al. (2018) Memory B Cells Activate Brain-Homing, Autoreactive CD4⁺ T Cells in Multiple Sclerosis. *Cell*, 175(1), 85.

Kim CJ, et al. (2018) The Transcription Factor Ets1 Suppresses T Follicular Helper Type 2 Cell Differentiation to Halt the Onset of Systemic Lupus Erythematosus. *Immunity*, 49(6), 1034.