

Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](https://fdi-lab.sci-crunch.org) on May 22, 2025

F(ab')₂-Donkey anti-Rabbit IgG (H+L) Secondary Antibody, PE, eBioscience

RRID:AB_1210761

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# 12-4739-81, RRID:AB_1210761)

Antibody Information

URL: http://antibodyregistry.org/AB_1210761

Proper Citation: (Thermo Fisher Scientific Cat# 12-4739-81, RRID:AB_1210761)

Target Antigen: Rabbit IgG (H+L)

Host Organism: F(ab')₂-Donkey

Clonality: polyclonal secondary

Comments: Applications: Flow (1 µg/test)
Consolidation on 1/2020: AB_1210761, AB_10359926

Antibody Name: F(ab')₂-Donkey anti-Rabbit IgG (H+L) Secondary Antibody, PE, eBioscience

Description: This polyclonal secondary targets Rabbit IgG (H+L)

Target Organism: rabbit

Antibody ID: AB_1210761

Vendor: Thermo Fisher Scientific

Catalog Number: 12-4739-81

Record Creation Time: 20231110T074036+0000

Record Last Update: 20241115T062659+0000

Ratings and Alerts

No rating or validation information has been found for F(ab')₂-Donkey anti-Rabbit IgG (H+L) Secondary Antibody, PE, eBioscience.

No alerts have been found for F(ab')₂-Donkey anti-Rabbit IgG (H+L) Secondary Antibody, PE, eBioscience.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 13 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Kazer SW, et al. (2024) Primary nasal influenza infection rewires tissue-scale memory response dynamics. *Immunity*, 57(8), 1955.

Hart TM, et al. (2024) An atlas of human vector-borne microbe interactions reveals pathogenicity mechanisms. *Cell*, 187(15), 4113.

Liang Z, et al. (2024) Small extracellular vesicles from hypoxia-preconditioned bone marrow mesenchymal stem cells attenuate spinal cord injury via miR-146a-5p-mediated regulation of macrophage polarization. *Neural regeneration research*, 19(10), 2259.

Kamte YS, et al. (2023) Perturbations in neural stem cell function during a neurotropic viral infection in juvenile mice. *Journal of neurochemistry*, 166(5), 809.

Charmoy M, et al. (2021) PD-1⁺ Tcf1⁺ CD8⁺ T cells from established chronic infection can form memory while retaining a stable imprint of persistent antigen exposure. *Cell reports*, 36(10), 109672.

Rosu A, et al. (2021) Loss of tRNA-modifying enzyme Elp3 activates a p53-dependent antitumor checkpoint in hematopoiesis. *The Journal of experimental medicine*, 218(3).

Wang J, et al. (2020) Liver Immune Profiling Reveals Pathogenesis and Therapeutics for Biliary Atresia. *Cell*, 183(7), 1867.

Pais Ferreira D, et al. (2020) Central memory CD8⁺ T cells derive from stem-like Tcf7^{hi} effector cells in the absence of cytotoxic differentiation. *Immunity*, 53(5), 985.

Luong-Gardiol N, et al. (2019) γ -Catenin-Dependent Signals Maintain BCR-ABL1⁺ B Cell Acute Lymphoblastic Leukemia. *Cancer cell*, 35(4), 649.

Siddiqui I, et al. (2019) Intratumoral Tcf1+PD-1+CD8+ T Cells with Stem-like Properties Promote Tumor Control in Response to Vaccination and Checkpoint Blockade Immunotherapy. *Immunity*, 50(1), 195.

Zhou X, et al. (2019) YAP Aggravates Inflammatory Bowel Disease by Regulating M1/M2 Macrophage Polarization and Gut Microbial Homeostasis. *Cell reports*, 27(4), 1176.

Hayatsu N, et al. (2017) Analyses of a Mutant Foxp3 Allele Reveal BATF as a Critical Transcription Factor in the Differentiation and Accumulation of Tissue Regulatory T Cells. *Immunity*, 47(2), 268.

Kälin S, et al. (2017) A Stat6/Pten Axis Links Regulatory T Cells with Adipose Tissue Function. *Cell metabolism*, 26(3), 475.