

Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](https://fdi-lab.sci-crunch.org) on Apr 27, 2025

AffiniPure Fab Fragment Goat Anti-Rabbit IgG (H+L)

RRID:AB_2337925

Type: Antibody

Proper Citation

(Jackson ImmunoResearch Labs Cat# 111-007-003, RRID:AB_2337925)

Antibody Information

URL: http://antibodyregistry.org/AB_2337925

Proper Citation: (Jackson ImmunoResearch Labs Cat# 111-007-003, RRID:AB_2337925)

Target Antigen: Rabbit IgG (H+L)

Clonality: unknown

Antibody Name: AffiniPure Fab Fragment Goat Anti-Rabbit IgG (H+L)

Description: This unknown targets Rabbit IgG (H+L)

Antibody ID: AB_2337925

Vendor: Jackson ImmunoResearch Labs

Catalog Number: 111-007-003

Record Creation Time: 20231110T041928+0000

Record Last Update: 20241115T132625+0000

Ratings and Alerts

No rating or validation information has been found for AffiniPure Fab Fragment Goat Anti-Rabbit IgG (H+L) .

No alerts have been found for AffiniPure Fab Fragment Goat Anti-Rabbit IgG (H+L) .

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 12 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Sun SY, et al. (2025) The interaction between KIF21A and KANK1 regulates dendritic morphology and synapse plasticity in neurons. *Neural regeneration research*, 20(1), 209.

Hwang PY, et al. (2023) A Cdh3- β -catenin-laminin signaling axis in a subset of breast tumor leader cells control leader cell polarization and directional collective migration. *Developmental cell*, 58(1), 34.

Kaiser A, et al. (2022) A three-dimensional atlas of the honeybee central complex, associated neuropils and peptidergic layers of the central body. *The Journal of comparative neurology*, 530(14), 2416.

Massah A, et al. (2022) Distribution and daily oscillation of GABA in the circadian system of the cockroach *Rhyarobia maderae*. *The Journal of comparative neurology*, 530(5), 770.

Hensgen R, et al. (2022) Myoinhibitory peptides in the central complex of the locust *Schistocerca gregaria* and colocalization with locust tachykinin-related peptides. *The Journal of comparative neurology*, 530(15), 2782.

Saraswathy VM, et al. (2022) Myostatin is a negative regulator of adult neurogenesis after spinal cord injury in zebrafish. *Cell reports*, 41(8), 111705.

Homberg U, et al. (2021) Orcokinin in the central complex of the locust *Schistocerca gregaria*: Identification of immunostained neurons and colocalization with other neuroactive substances. *The Journal of comparative neurology*, 529(8), 1876.

Saucisse N, et al. (2021) Functional heterogeneity of POMC neurons relies on mTORC1 signaling. *Cell reports*, 37(2), 109800.

Kool MJ, et al. (2019) CAMK2-Dependent Signaling in Neurons Is Essential for Survival. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 39(28), 5424.

Webber MP, et al. (2017) GABA-, histamine-, and FMRFamide-immunoreactivity in the visual, vestibular and central nervous systems of *Hermisenda crassicornis*. *The Journal of comparative neurology*, 525(16), 3514.

Beetz MJ, et al. (2015) Topographic organization and possible function of the posterior optic tubercles in the brain of the desert locust *Schistocerca gregaria*. The Journal of comparative neurology, 523(11), 1589.

Fusca D, et al. (2015) Colocalization of allatotropin and tachykinin-related peptides with classical transmitters in physiologically distinct subtypes of olfactory local interneurons in the cockroach (*Periplaneta americana*). The Journal of comparative neurology, 523(10), 1569.