Resource Summary Report

Generated by FDI Lab - SciCrunch.org on May 2, 2025

Anti-Rabbit IgG (whole molecule)-FITC antibody produced in goat

RRID:AB_259384 Type: Antibody

Proper Citation

(Sigma-Aldrich Cat# F0382, RRID:AB_259384)

Antibody Information

URL: http://antibodyregistry.org/AB_259384

Proper Citation: (Sigma-Aldrich Cat# F0382, RRID:AB_259384)

Target Antigen: Rabbit IgG (whole molecule)-FITC antibody produced in goat

Host Organism: goat

Clonality: polyclonal

Comments: Vendor recommendations: indirect immunofluorescence: 1:80; Immunofluorescence

Antibody Name: Anti-Rabbit IgG (whole molecule)-FITC antibody produced in goat

Description: This polyclonal targets Rabbit IgG (whole molecule)-FITC antibody produced in goat

Target Organism: rabbit

Antibody ID: AB_259384

Vendor: Sigma-Aldrich

Catalog Number: F0382

Record Creation Time: 20241016T230752+0000

Record Last Update: 20241017T000548+0000

Ratings and Alerts

No rating or validation information has been found for Anti-Rabbit IgG (whole molecule)-FITC antibody produced in goat.

No alerts have been found for Anti-Rabbit IgG (whole molecule)-FITC antibody produced in goat.

Data and Source Information

Source: Antibody Registry

Usage and Citation Metrics

We found 9 mentions in open access literature.

Listed below are recent publications. The full list is available at FDI Lab - SciCrunch.org.

Cheng Y, et al. (2022) Intrinsic antiviral immunity of barrier cells revealed by an iPSC-derived blood-brain barrier cellular model. Cell reports, 39(9), 110885.

Han JH, et al. (2022) Garcinia cambogia attenuates adipogenesis by affecting CEBPB and SQSTM1/p62-mediated selective autophagic degradation of KLF3 through RPS6KA1 and STAT3 suppression. Autophagy, 18(3), 518.

Kitchen P, et al. (2020) Targeting Aquaporin-4 Subcellular Localization to Treat Central Nervous System Edema. Cell, 181(4), 784.

Dosch M, et al. (2019) Connexin-43-dependent ATP release mediates macrophage activation during sepsis. eLife, 8.

Fiaz M, et al. (2018) Toxicological and morphological effects of tebufenozide on Anticarsia gemmatalis (Lepidoptera: Noctuidae) larvae. Chemosphere, 212, 337.

Gonçalves WG, et al. (2018) Post-embryonic development of the Malpighian tubules in Apis mellifera (Hymenoptera) workers: morphology, remodeling, apoptosis, and cell proliferation. Protoplasma, 255(2), 585.

Morais-Santos M, et al. (2018) Basal Cells Show Increased Expression of Aromatase and Estrogen Receptor ? in Prostate Epithelial Lesions of Male Aging Rats. Endocrinology, 159(2), 723.

Kinboshi M, et al. (2017) Inhibition of Inwardly Rectifying Potassium (Kir) 4.1 Channels Facilitates Brain-Derived Neurotrophic Factor (BDNF) Expression in Astrocytes. Frontiers in molecular neuroscience, 10, 408.

Gonçalves WG, et al. (2017) Post-embryonic changes in the hindgut of honeybee Apis mellifera workers: Morphology, cuticle deposition, apoptosis, and cell proliferation.

Developmental biology, 431(2), 194.