Resource Summary Report

Generated by FDI Lab - SciCrunch.org on Apr 3, 2025

HIF1A-human

RRID:AB_2616089 Type: Antibody

Proper Citation

(GeneTex Cat# GTX127309, RRID:AB_2616089)

Antibody Information

URL: http://antibodyregistry.org/AB_2616089

Proper Citation: (GeneTex Cat# GTX127309, RRID:AB_2616089)

Target Antigen: HIF1A

Host Organism: rabbit

Clonality: polyclonal

Comments: ENCODE PROJECT External validation DATA SET is released testing lot

41185 for any cell type or tissues; status is awaiting lab characterization

Antibody Name: HIF1A-human

Description: This polyclonal targets HIF1A

Target Organism: Human, Bovine, Rat, Rabbit, Mouse

Antibody ID: AB_2616089

Vendor: GeneTex

Catalog Number: GTX127309

Alternative Catalog Numbers: ENCAB052WQI

Record Creation Time: 20231110T034925+0000

Record Last Update: 20240725T024030+0000

Ratings and Alerts

 ENCODE PROJECT External validation for lot: 41185 is available under ENCODE ID: ENCAB052WQI - ENCODE https://www.encodeproject.org/antibodies/ENCAB052WQI

No alerts have been found for HIF1A-human.

Data and Source Information

Source: Antibody Registry

Usage and Citation Metrics

We found 12 mentions in open access literature.

Listed below are recent publications. The full list is available at FDI Lab - SciCrunch.org.

Horie M, et al. (2024) Exosomes secreted by ST3GAL5high cancer cells promote peritoneal dissemination by establishing a premetastatic microenvironment. Molecular oncology, 18(1), 21.

de Oliveira KG, et al. (2024) Decoding of the surfaceome and endocytome in primary glioblastoma cells identifies potential target antigens in the hypoxic tumor niche. Acta neuropathologica communications, 12(1), 35.

Dong F, et al. (2024) Hypoxia-inducible PRMT2 addiction in glioblastomas. Cellular signalling, 117, 111094.

Wen ZH, et al. (2024) Intrathecal Fumagillin Alleviates Chronic Neuropathy-Induced Nociceptive Sensitization and Modulates Spinal Astrocyte-Neuronal Glycolytic and Angiogenic Proteins. Molecular neurobiology.

Seike K, et al. (2023) Ambient oxygen levels regulate intestinal dysbiosis and GVHD severity after allogeneic stem cell transplantation. Immunity, 56(2), 353.

Guo C, et al. (2023) HIF-1? accumulation in response to transient hypoglycemia may worsen diabetic eye disease. Cell reports, 42(1), 111976.

Zheng X, et al. (2022) Repression of hypoxia-inducible factor-1 contributes to increased mitochondrial reactive oxygen species production in diabetes. eLife, 11.

Valle ML, et al. (2022) Thiamine insufficiency induces Hypoxia Inducible Factor-1? as an upstream mediator for neurotoxicity and AD-like pathology. Molecular and cellular neurosciences, 123, 103785.

Tsai YC, et al. (2021) Upregulating sirtuin 6 ameliorates glycolysis, EMT and distant metastasis of pancreatic adenocarcinoma with krüppel-like factor 10 deficiency.

Experimental & molecular medicine, 53(10), 1623.

Yamato H, et al. (2021) Combined application of geranylgeranylacetone and amelogenin promotes angiogenesis and wound healing in human periodontal ligament cells. Journal of cellular biochemistry, 122(7), 716.

Nüchel J, et al. (2021) An mTORC1-GRASP55 signaling axis controls unconventional secretion to reshape the extracellular proteome upon stress. Molecular cell, 81(16), 3275.

Zera K, et al. (2017) Thiamine deficiency activates hypoxia inducible factor-1? to facilitate pro-apoptotic responses in mouse primary astrocytes. PloS one, 12(10), e0186707.