

Resource Summary Report

Generated by FDI Lab - SciCrunch.org on Apr 8, 2025

Mouse Anti-Other neuronal cell surface marker Antibody, Unconjugated

RRID:AB_531904

Type: Antibody

Proper Citation

(DSHB Cat# zn-8, RRID:AB_531904)

Antibody Information

URL: http://antibodyregistry.org/AB_531904

Proper Citation: (DSHB Cat# zn-8, RRID:AB_531904)

Target Antigen: Mouse Other neuronal cell surface marker

Host Organism: mouse

Clonality: unknown

Comments: manufacturer recommendations: IgG1 see Monte Westerfield; Western Blot

Antibody Name: Mouse Anti-Other neuronal cell surface marker Antibody, Unconjugated

Description: This unknown targets Mouse Other neuronal cell surface marker

Target Organism: shark, adults, betta (1d, chick, 2d), haplochromis burtoni, pos.: zebrafish embryos/larva, neg.: xenopus (st36)

Defining Citation: [PMID:20506476](https://pubmed.ncbi.nlm.nih.gov/20506476/)

Antibody ID: AB_531904

Vendor: DSHB

Catalog Number: zn-8

Record Creation Time: 20231110T080715+0000

Record Last Update: 20241115T071106+0000

Ratings and Alerts

No rating or validation information has been found for Mouse Anti-Other neuronal cell surface marker Antibody, Unconjugated.

No alerts have been found for Mouse Anti-Other neuronal cell surface marker Antibody, Unconjugated.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 18 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

da Silva AR, et al. (2024) egr3 is a mechanosensitive transcription factor gene required for cardiac valve morphogenesis. *Science advances*, 10(20), eadl0633.

Weeks O, et al. (2024) Embryonic alcohol exposure in zebrafish predisposes adults to cardiomyopathy and diastolic dysfunction. *Cardiovascular research*, 120(13), 1607.

Paolini A, et al. (2021) Mechanosensitive Notch-Dll4 and Klf2-Wnt9 signaling pathways intersect in guiding valvulogenesis in zebrafish. *Cell reports*, 37(1), 109782.

Gentile A, et al. (2021) The EMT transcription factor Snai1 maintains myocardial wall integrity by repressing intermediate filament gene expression. *eLife*, 10.

Fontana F, et al. (2020) Antagonistic Activities of Vegfr3/Flt4 and Notch1b Fine-tune Mechanosensitive Signaling during Zebrafish Cardiac Valvulogenesis. *Cell reports*, 32(2), 107883.

Pushchina EV, et al. (2019) Neurolin expression in the optic nerve and immunoreactivity of Pax6-positive niches in the brain of rainbow trout (*Oncorhynchus mykiss*) after unilateral eye injury. *Neural regeneration research*, 14(1), 156.

González-Rosa JM, et al. (2018) Myocardial Polyploidization Creates a Barrier to Heart Regeneration in Zebrafish. *Developmental cell*, 44(4), 433.

Merks AM, et al. (2018) Planar cell polarity signalling coordinates heart tube remodelling through tissue-scale polarisation of actomyosin activity. *Nature communications*, 9(1), 2161.

Kirchmaier BC, et al. (2012) The Popeye domain containing 2 (popdc2) gene in zebrafish is required for heart and skeletal muscle development. *Developmental biology*, 363(2), 438.

Otten C, et al. (2012) Xirp proteins mark injured skeletal muscle in zebrafish. *PloS one*, 7(2), e31041.

Kim HS, et al. (2011) Tcf7l1 is required for spinal cord progenitor maintenance. *Developmental dynamics : an official publication of the American Association of Anatomists*, 240(10), 2256.

Johnson CW, et al. (2011) Vgll2a is required for neural crest cell survival during zebrafish craniofacial development. *Developmental biology*, 357(1), 269.

Volkman K, et al. (2010) The zebrafish cerebellar upper rhombic lip generates tegmental hindbrain nuclei by long-distance migration in an evolutionary conserved manner. *The Journal of comparative neurology*, 518(14), 2794.

Riley BB, et al. (2010) Characterization of harpy/Rca1/emi1 mutants: patterning in the absence of cell division. *Developmental dynamics : an official publication of the American Association of Anatomists*, 239(3), 828.

Paridaen JT, et al. (2009) Apc1-mediated antagonism of Wnt/beta-catenin signaling is required for retino-tectal pathfinding in the zebrafish. *Zebrafish*, 6(1), 41.

Menelaou E, et al. (2009) Secondary motoneurons in juvenile and adult zebrafish: axonal pathfinding errors caused by embryonic nicotine exposure. *The Journal of comparative neurology*, 512(3), 305.

Kawahara A, et al. (2002) The homeobox gene mbx is involved in eye and tectum development. *Developmental biology*, 248(1), 107.

Trevarrow B, et al. (1990) Organization of hindbrain segments in the zebrafish embryo. *Neuron*, 4(5), 669.