

Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](https://fdi-lab.sci-crunch.org) on May 19, 2025

Rabbit Anti-p53 Binding Protein 1 Polyclonal Antibody, Unconjugated

RRID:AB_564982

Type: Antibody

Proper Citation

(Millipore Cat# PC712-100UL, RRID:AB_564982)

Antibody Information

URL: http://antibodyregistry.org/AB_564982

Proper Citation: (Millipore Cat# PC712-100UL, RRID:AB_564982)

Target Antigen: p53 Binding Protein 1

Host Organism: rabbit

Clonality: polyclonal

Comments: seller recommendations: Immunofluorescence; Immunoprecipitation; Western Blot; Immunoblotting, Immunofluorescence, Immunoprecipitation

Antibody Name: Rabbit Anti-p53 Binding Protein 1 Polyclonal Antibody, Unconjugated

Description: This polyclonal targets p53 Binding Protein 1

Target Organism: Human, Mouse

Antibody ID: AB_564982

Vendor: Millipore

Catalog Number: PC712-100UL

Record Creation Time: 20231110T044051+0000

Record Last Update: 20241115T121819+0000

Ratings and Alerts

No rating or validation information has been found for Rabbit Anti-p53 Binding Protein 1 Polyclonal Antibody, Unconjugated.

No alerts have been found for Rabbit Anti-p53 Binding Protein 1 Polyclonal Antibody, Unconjugated.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 5 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Lopes-Paciencia S, et al. (2024) A senescence restriction point acting on chromatin integrates oncogenic signals. Cell reports, 43(4), 114044.

Najnin RA, et al. (2023) ATM suppresses c-Myc overexpression in the mammary epithelium in response to estrogen. Cell reports, 42(1), 111909.

Igelmann S, et al. (2021) A hydride transfer complex reprograms NAD metabolism and bypasses senescence. Molecular cell, 81(18), 3848.

Zong D, et al. (2019) BRCA1 Haploinsufficiency Is Masked by RNF168-Mediated Chromatin Ubiquitylation. Molecular cell, 73(6), 1267.

Yasuhara T, et al. (2018) Human Rad52 Promotes XPG-Mediated R-loop Processing to Initiate Transcription-Associated Homologous Recombination Repair. Cell, 175(2), 558.