

Resource Summary Report

Generated by [FDI Lab - SciCrunch.org](#) on May 17, 2025

Goat anti-Rabbit IgG (H+L) Secondary Antibody, DyLight™ 680

RRID:AB_614946

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# 35568, RRID:AB_614946)

Antibody Information

URL: http://antibodyregistry.org/AB_614946

Proper Citation: (Thermo Fisher Scientific Cat# 35568, RRID:AB_614946)

Target Antigen: Rabbit IgG (H+L)

Host Organism: goat

Clonality: polyclonal secondary

Comments: Applications: Flow (1:25 - 1:100), ICC/IF (1:250), IHC (1:50-1:2,000), IP (Assay-dependent), WB (1:5,000-1:20,000)

Antibody Name: Goat anti-Rabbit IgG (H+L) Secondary Antibody, DyLight™ 680

Description: This polyclonal secondary targets Rabbit IgG (H+L)

Target Organism: rabbit

Defining Citation: [PMID:25892505](#), [PMID:27882920](#), [PMID:20404088](#), [PMID:27777305](#), [PMID:26823961](#), [PMID:25483196](#), [PMID:28094771](#), [PMID:24469046](#), [PMID:25552716](#), [PMID:22100352](#)

Antibody ID: AB_614946

Vendor: Thermo Fisher Scientific

Catalog Number: 35568

Record Creation Time: 20231110T043853+0000

Record Last Update: 20241114T234748+0000

Ratings and Alerts

No rating or validation information has been found for Goat anti-Rabbit IgG (H+L) Secondary Antibody, DyLight™ 680.

No alerts have been found for Goat anti-Rabbit IgG (H+L) Secondary Antibody, DyLight™ 680.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 10 mentions in open access literature.

Listed below are recent publications. The full list is available at [FDI Lab - SciCrunch.org](#).

Phung DK, et al. (2025) Archaeal NusA2 is the ancestor of ribosomal protein eS7 in eukaryotes. Structure (London, England : 1993), 33(1), 149.

Christofidou ED, et al. (2024) Oct4 is a gatekeeper of epithelial identity by regulating cytoskeletal organization in skin keratinocytes. Cell reports, 43(3), 113859.

Mercaldo V, et al. (2023) Altered striatal actin dynamics drives behavioral inflexibility in a mouse model of fragile X syndrome. Neuron, 111(11), 1760.

Li S, et al. (2023) Cytosolic DNA sensing by cGAS/STING promotes TRPV2-mediated Ca²⁺ release to protect stressed replication forks. Molecular cell, 83(4), 556.

Rodríguez-Blázquez A, et al. (2023) Crk proteins activate the Rap1 guanine nucleotide exchange factor C3G by segregated adaptor-dependent and -independent mechanisms. Cell communication and signaling : CCS, 21(1), 30.

Sinamon JR, et al. (2022) Targeted RNA editing in brainstem alleviates respiratory dysfunction in a mouse model of Rett syndrome. Proceedings of the National Academy of Sciences of the United States of America, 119(33), e2206053119.

Ortiz-Cordero C, et al. (2021) NAD⁺ enhances ribitol and ribose rescue of ?-dystroglycan functional glycosylation in human FKR^P-mutant myotubes. eLife, 10.

Foussier L, et al. (2019) Functional Characterization of Glucocorticoid Receptor Variants Is

Required to Avoid Misinterpretation of NGS Data. *Journal of the Endocrine Society*, 3(5), 865.

Cao W, et al. (2018) Gamma Oscillation Dysfunction in mPFC Leads to Social Deficits in Neuroligin 3 R451C Knockin Mice. *Neuron*, 97(6), 1253.

González Montoro A, et al. (2018) Vps39 Interacts with Tom40 to Establish One of Two Functionally Distinct Vacuole-Mitochondria Contact Sites. *Developmental cell*, 45(5), 621.